

Recall Quarterly Report**21V-526**

Manufacturer Name : Mercedes-Benz USA, LLC
NHTSA Recall No. / MFR Recall No. : 21V-526 /2021080005
Recall Subject : Excessive Voltage at Second-Row Power Outlet
Owner Notification Beginning Date : SEP 03, 2021
Owner Notification End Date: SEP 03, 2021



| Report # | Submission Date | Report Quarter | Recall Population | Total Remedied | Total Unreachable | Total Removed |
|----------|-----------------|----------------|-------------------|----------------|-------------------|---------------|
| 5 | OCT 20, 2022 | 2022-3 | 1,690 | 1,510 | 0 | 0 |
| 4 | JUL 11, 2022 | 2022-2 | 1,690 | 1,402 | 0 | 0 |
| 3 | APR 11, 2022 | 2022-1 | 1,690 | 1,242 | 0 | 0 |
| 2 | JAN 11, 2022 | 2021-4 | 1,690 | 909 | 0 | 0 |
| 1 | OCT 14, 2021 | 2021-3 | 1,690 | 394 | 0 | 0 |

This Document Last Updated : OCT 26, 2022

Definitions :

Report Quarter : The quarter the manufacturer is reporting recall completion figures (e.g. 2012-3 means the 3rd quarter of 2012).

Recall Population : The total number of products recalled by the manufacturer.

Total Remedied : The total number of products either remedied, inspected without needing remedy, or returned to inventory.

Total Unreachable : Products deemed unreachable as owner notifications were unable to be delivered.

Total Removed : Products that have been scrapped, stolen, or exported.