

**Recall Quarterly Report****21V-630**

**Manufacturer Name :** Custom Fire Apparatus, Inc.  
**NHTSA Recall No. / MFR Recall No. :** 21V-630 /21009 (21V-323)  
**Recall Subject :** High Pressure Fuel Rail Assembly May Leak Fuel  
**Owner Notification Beginning Date :** AUG 08, 2021  
**Owner Notification End Date:** AUG 13, 2021



Report #	Submission Date	Report Quarter	Recall Population	Total Remedied	Total Unreachable	Total Removed
3	AUG 09, 2022	2022-1	48	48	0	0
2	APR 26, 2022	2021-4	48	48	0	0
1	DEC 28, 2021	2021-3	48	0	0	0

This Document Last Updated : AUG 11, 2022

**Definitions :**

**Report Quarter :** The quarter the manufacturer is reporting recall completion figures (e.g. 2012-3 means the 3<sup>rd</sup> quarter of 2012).

**Recall Population :** The total number of products recalled by the manufacturer.

**Total Remedied :** The total number of products either remedied, inspected without needing remedy, or returned to inventory.

**Total Unreachable :** Products deemed unreachable as owner notifications were unable to be delivered.

**Total Removed :** Products that have been scrapped, stolen, or exported.