

Recall Quarterly Report**21V-691****Manufacturer Name :** Forest River, Inc.**NHTSA Recall No. / MFR Recall No. :** 21V-691 /40-1414**Recall Subject :** Unsealed Mini-Breakers May Cause Fire**Owner Notification Beginning Date :** SEP 16, 2021**Owner Notification End Date:** SEP 16, 2021

Report #	Submission Date	Report Quarter	Recall Population	Total Remedied	Total Unreachable	Total Removed
7	APR 28, 2023	2023-1	4	3	0	0
6	JAN 23, 2023	2022-4	4	2	0	0
5	OCT 18, 2022	2022-3	4	2	0	0
4	JUL 13, 2022	2022-2	4	1	0	0
3	APR 28, 2022	2022-1	4	1	0	0
2	JAN 30, 2022	2021-4	4	1	0	0
1	OCT 25, 2021	2021-3	4	0	0	0

This Document Last Updated : APR 28, 2023

Definitions :

Report Quarter : The quarter the manufacturer is reporting recall completion figures (e.g. 2012-3 means the 3rd quarter of 2012).

Recall Population : The total number of products recalled by the manufacturer.

Total Remedied : The total number of products either remedied, inspected without needing remedy, or returned to inventory.

Total Unreachable : Products deemed unreachable as owner notifications were unable to be delivered.

Total Removed : Products that have been scrapped, stolen, or exported.