

Recall Quarterly Report**21V-791****Manufacturer Name :** HME, Inc.**NHTSA Recall No. / MFR Recall No. :** 21V-791 /Emission 21E01**Recall Subject :** Malfunction Indicator Light May Not Illuminate**Owner Notification Beginning Date :** MAY 20, 2022**Owner Notification End Date:** MAY 23, 2022**Quarterly Reports**

Report #	Submission Date	Report Quarter	Recall Population	Total Remedied	Total Unreachable	Total Removed
8	MAY 24, 2024	2024-1	8	7	0	0
7	MAY 24, 2024	2023-4	8	7	0	0
6	DEC 18, 2023	2023-3	10	6	0	0
5	DEC 18, 2023	2023-2	10	5	0	0
4	APR 06, 2023	2023-1	8	5	0	0
3	APR 06, 2023	2022-4	8	4	0	0
2	APR 06, 2023	2022-3	8	3	0	0
1	APR 06, 2023	2022-2	8	3	0	0

This Document Last Updated : JUN 17, 2024

Definitions :

Reporting Period: The reporting period is the manufacturer is reporting recall completion figures.

Report Quarter : The quarter the manufacturer is reporting recall completion figures (e.g. 2012-3 means the 3rd quarter of 2012).

Recall Population : The total number of products recalled by the manufacturer.

Total Remedied : The total number of products either remedied, inspected without needing remedy, or returned to inventory.

Total Unreachable : Products deemed unreachable as owner notifications were unable to be delivered.

Total Removed : Products that have been scrapped, stolen, or exported.