

**Recall Quarterly Report****21V-826**

**Manufacturer Name :** Doosan Portable Power  
**NHTSA Recall No. / MFR Recall No. :** 21V-826 /  
**Recall Subject :** Improperly Tightened Lug Nuts  
**Owner Notification Beginning Date :** NOV 04, 2021  
**Owner Notification End Date:** JAN 03, 2022



Report #	Submission Date	Report Quarter	Recall Population	Total Remedied	Total Unreachable	Total Removed
6	APR 05, 2023	2023-1	580	454	2	67
5	JAN 12, 2023	2022-4	580	438	2	67
4	OCT 19, 2022	2022-3	580	402	2	67
3	OCT 19, 2022	2022-2	580	402	2	67
2	OCT 19, 2022	2022-1	580	402	2	67
1	OCT 19, 2022	2021-4	580	362	0	67

This Document Last Updated : APR 05, 2023

**Definitions :**

**Report Quarter :** The quarter the manufacturer is reporting recall completion figures (e.g. 2012-3 means the 3<sup>rd</sup> quarter of 2012).

**Recall Population :** The total number of products recalled by the manufacturer.

**Total Remedied :** The total number of products either remedied, inspected without needing remedy, or returned to inventory.

**Total Unreachable :** Products deemed unreachable as owner notifications were unable to be delivered.

**Total Removed :** Products that have been scrapped, stolen, or exported.