

Part 573 Safety Recall Report

21V-012

Manufacturer Name : Altec Industries, Inc.

Submission Date : JAN 15, 2021

NHTSA Recall No. : 21V-012

Manufacturer Recall No. : CSN 792



Manufacturer Information :

Manufacturer Name : Altec Industries, Inc.

Address : 210 Inverness Center Drive
Birmingham AL 35242

Company phone : 205 991 7733

Population :

Number of potentially involved : 213

Estimated percentage with defect : 100 %

Vehicle Information :

Vehicle 1 : 2016-2020 Altec DH-B Series, DH-E Series, and D3000-E with radio remote upper controls and combined use.

Vehicle Type :

Body Style :

Power Train : NR

Descriptive Information : The recall population was determined from a review of production records.

Production Dates : AUG 29, 2016 - OCT 13, 2020

VIN Range 1 : Begin : NR **End :** NR

Not sequential

Description of Defect :

Description of the Defect : Units that require a combined use capacity chart only have the derrick use capacity chart and do not have the combined use capacity chart.

FMVSS 1 : NR

FMVSS 2 : NR

Description of the Safety Risk : The operator may not have access to the rated capacity information while they are operating the equipment in combined use.

Description of the Cause : NR

Identification of Any Warning that can Occur : The daily preoperational inspection would detect the missing placard. It would also be detected when the operator is required to refer to the combined use capacity chart before a lift.

Involved Components :

Component Name 1 : NR

Component Description : NR

Component Part Number : NR

Supplier Identification :

Component Manufacturer

Name : NR

Address : NR

NR

Country : NR

Chronology :

A product review found that Altec had not been installing the combined use placards on the DH E-series, DH B-series and D3000 E-series units.

Description of Remedy :

Description of Remedy Program : Altec will issue CSN 792 to owners of the affected units requiring owners to attach a capacity placard to the radio remote using a lanyard if it is missing.

How Remedy Component Differs from Recalled Component : The capacity placard was not installed in production on the affected units.

Identify How/When Recall Condition was Corrected in Production : The production radio units with combined use will have the appropriate placard attached to the radio remote.

Recall Schedule :

Description of Recall Schedule : Altec will issue CSN 792 to owners of the affected units. Altec does not have a dealer network and issues letters to owners only.

Planned Dealer Notification Date : NR - NR

Planned Owner Notification Date : MAR 10, 2021 - MAR 12, 2021

* NR - Not Reported