

**Recall Annual Report****21V-289****Manufacturer Name :** REV Ambulance Group Orlando, Inc.**NHTSA Recall No. / MFR Recall No. :** 21V-289 /**Recall Subject :** Lighting and HVAC Display May Lock Up**Owner Notification Beginning Date :** MAY 05, 2021**Owner Notification End Date:** MAY 14, 2021**Annual Reports**

Report #	Submission Date	Reporting Period	Recall Population	Total Remedied	Total Unreachable	Total Removed
2	APR 30, 2025	2024-2 to 2025-1	20	10	0	0
1	APR 30, 2024	2023-2 to 2024-1	20	10	0	0

**Quarterly Reports**

Report #	Submission Date	Report Quarter	Recall Population	Total Remedied	Total Unreachable	Total Removed
8	MAR 31, 2023	2023-1	20	10	0	0
7	FEB 06, 2023	2022-4	20	10	0	0
6	NOV 30, 2022	2022-3	20	10	0	0
5	NOV 30, 2022	2022-2	20	10	0	0
4	NOV 30, 2022	2022-1	20	10	0	0
3	NOV 29, 2022	2021-4	20	10	0	0
2	AUG 23, 2022	2021-3	20	10	0	0
1	AUG 09, 2021	2021-2	20	4	0	0

This Document Last Updated : MAY 01, 2025

**Definitions :**

**Reporting Period:** The reporting period is the manufacturer is reporting recall completion figures.

**Report Quarter :** The quarter the manufacturer is reporting recall completion figures (e.g. 2012-3 means the 3<sup>rd</sup> quarter of 2012).

**Recall Population :** The total number of products recalled by the manufacturer.

**Total Remedied :** The total number of products either remedied, inspected without needing remedy, or returned to inventory.

**Total Unreachable :** Products deemed unreachable as owner notifications were unable to be delivered.

**Total Removed :** Products that have been scrapped, stolen, or exported.