

Recall Annual Report**21V-799****Manufacturer Name :** Van Hool N.V.**NHTSA Recall No. / MFR Recall No. :** 21V-799 /P1528-SB2067**Recall Subject :** Wheelchair Lift Outer Barrier May Fail/FMVSS 403**Owner Notification Beginning Date :** NOV 30, 2021**Owner Notification End Date:** DEC 30, 2021**Annual Reports**

Report #	Submission Date	Reporting Period	Recall Population	Total Remedied	Total Unreachable	Total Removed
1	NOV 22, 2024	2023-4 to 2024-3	422	31	0	0

Quarterly Reports

Report #	Submission Date	Report Quarter	Recall Population	Total Remedied	Total Unreachable	Total Removed
8	OCT 26, 2023	2023-3	422	30	0	0
7	JUL 19, 2023	2023-2	422	30	0	0
6	APR 27, 2023	2023-1	422	28	0	0
5	APR 27, 2023	2022-4	422	23	0	0
4	MAR 31, 2023	2022-3	422	15	0	0
3	AUG 01, 2022	2022-2	422	15	0	0
2	JUL 20, 2022	2022-1	422	13	0	0
1	FEB 25, 2022	2021-4	422	0	0	0

This Document Last Updated : NOV 22, 2024

Definitions :

Reporting Period: The reporting period is the manufacturer is reporting recall completion figures.

Report Quarter : The quarter the manufacturer is reporting recall completion figures (e.g. 2012-3 means the 3rd quarter of 2012).

Recall Population : The total number of products recalled by the manufacturer.

Total Remedied : The total number of products either remedied, inspected without needing remedy, or returned to inventory.

Total Unreachable : Products deemed unreachable as owner notifications were unable to be delivered.

Total Removed : Products that have been scrapped, stolen, or exported.