

Recall Quarterly Report**22V-116**

Manufacturer Name : Pierce Manufacturing
NHTSA Recall No. / MFR Recall No. : 22V-116 /21E075
Recall Subject : Improperly Crimped Lifting Cable
Owner Notification Beginning Date : OCT 08, 2021
Owner Notification End Date: OCT 08, 2021



Report #	Submission Date	Report Quarter	Recall Population	Total Remedied	Total Unreachable	Total Removed
8	OCT 19, 2023	2023-3	1	0	0	0
7	AUG 16, 2023	2023-2	1	0	0	0
6	APR 20, 2023	2023-1	1	0	0	0
5	JAN 24, 2023	2022-4	1	0	0	0
4	OCT 13, 2022	2022-3	1	0	0	0
3	JUL 12, 2022	2022-2	1	0	0	0
2	JUL 12, 2022	2022-1	1	0	0	0
1	JUL 12, 2022	2021-4	1	0	0	0

This Document Last Updated : OCT 19, 2023

Definitions :

Report Quarter : The quarter the manufacturer is reporting recall completion figures (e.g. 2012-3 means the 3rd quarter of 2012).

Recall Population : The total number of products recalled by the manufacturer.

Total Remedied : The total number of products either remedied, inspected without needing remedy, or returned to inventory.

Total Unreachable : Products deemed unreachable as owner notifications were unable to be delivered.

Total Removed : Products that have been scrapped, stolen, or exported.