

**Recall Quarterly Report****22V-616**

**Manufacturer Name :** Pleasure Way Industries, Ltd.  
**NHTSA Recall No. / MFR Recall No. :** 22V-616 /  
**Recall Subject :** Circuit Board May Overheat and Cause Fire  
**Owner Notification Beginning Date :** SEP 19, 2022  
**Owner Notification End Date:** SEP 26, 2022



Report #	Submission Date	Report Quarter	Recall Population	Total Remedied	Total Unreachable	Total Removed
5	OCT 30, 2023	2023-3	1,237	315	0	0
4	JUL 21, 2023	2023-2	1,237	297	0	0
3	APR 25, 2023	2023-1	1,237	276	0	0
2	JAN 27, 2023	2022-4	1,237	191	0	0
1	OCT 26, 2022	2022-3	1,237	19	0	0

This Document Last Updated : OCT 31, 2023

**Definitions :**

**Report Quarter :** The quarter the manufacturer is reporting recall completion figures (e.g. 2012-3 means the 3<sup>rd</sup> quarter of 2012).

**Recall Population :** The total number of products recalled by the manufacturer.

**Total Remedied :** The total number of products either remedied, inspected without needing remedy, or returned to inventory.

**Total Unreachable :** Products deemed unreachable as owner notifications were unable to be delivered.

**Total Removed :** Products that have been scrapped, stolen, or exported.