

Recall Quarterly Report**22V-616**

Manufacturer Name : Pleasure Way Industries, Ltd.
NHTSA Recall No. / MFR Recall No. : 22V-616 /
Recall Subject : Circuit Board May Overheat and Cause Fire
Owner Notification Beginning Date : SEP 19, 2022
Owner Notification End Date: SEP 26, 2022



| Report # | Submission Date | Report Quarter | Recall Population | Total Remedied | Total Unreachable | Total Removed |
|----------|-----------------|----------------|-------------------|----------------|-------------------|---------------|
| 7 | APR 26, 2024 | 2024-1 | 1,237 | 325 | 0 | 0 |
| 6 | JAN 30, 2024 | 2023-4 | 1,237 | 322 | 0 | 0 |
| 5 | OCT 30, 2023 | 2023-3 | 1,237 | 315 | 0 | 0 |
| 4 | JUL 21, 2023 | 2023-2 | 1,237 | 297 | 0 | 0 |
| 3 | APR 25, 2023 | 2023-1 | 1,237 | 276 | 0 | 0 |
| 2 | JAN 27, 2023 | 2022-4 | 1,237 | 191 | 0 | 0 |
| 1 | OCT 26, 2022 | 2022-3 | 1,237 | 19 | 0 | 0 |

This Document Last Updated : APR 26, 2024

Definitions :

Report Quarter : The quarter the manufacturer is reporting recall completion figures (e.g. 2012-3 means the 3rd quarter of 2012).

Recall Population : The total number of products recalled by the manufacturer.

Total Remedied : The total number of products either remedied, inspected without needing remedy, or returned to inventory.

Total Unreachable : Products deemed unreachable as owner notifications were unable to be delivered.

Total Removed : Products that have been scrapped, stolen, or exported.