

Recall Quarterly Report**22V-616**

Manufacturer Name : Pleasure Way Industries, Ltd.
NHTSA Recall No. / MFR Recall No. : 22V-616 /
Recall Subject : Circuit Board May Overheat and Cause Fire
Owner Notification Beginning Date : SEP 19, 2022
Owner Notification End Date: SEP 26, 2022



Report #	Submission Date	Report Quarter	Recall Population	Total Remedied	Total Unreachable	Total Removed
6	JAN 30, 2024	2023-4	1,237	322	0	0
5	OCT 30, 2023	2023-3	1,237	315	0	0
4	JUL 21, 2023	2023-2	1,237	297	0	0
3	APR 25, 2023	2023-1	1,237	276	0	0
2	JAN 27, 2023	2022-4	1,237	191	0	0
1	OCT 26, 2022	2022-3	1,237	19	0	0

This Document Last Updated : JAN 30, 2024

Definitions :

Report Quarter : The quarter the manufacturer is reporting recall completion figures (e.g. 2012-3 means the 3rd quarter of 2012).

Recall Population : The total number of products recalled by the manufacturer.

Total Remedied : The total number of products either remedied, inspected without needing remedy, or returned to inventory.

Total Unreachable : Products deemed unreachable as owner notifications were unable to be delivered.

Total Removed : Products that have been scrapped, stolen, or exported.