

Recall Quarterly Report**22V-751**

Manufacturer Name : Braun Ambulances
NHTSA Recall No. / MFR Recall No. : 22V-751 /22-001
Recall Subject : Rear Door Striker Bolt May Dislodge
Owner Notification Beginning Date : OCT 17, 2022
Owner Notification End Date: OCT 31, 2022



Report #	Submission Date	Report Quarter	Recall Population	Total Remedied	Total Unreachable	Total Removed
5	FEB 06, 2024	2023-4	1,240	691	0	0
4	OCT 26, 2023	2023-3	1,240	648	0	0
3	AUG 04, 2023	2023-2	1,240	599	0	0
2	OCT 26, 2023	2023-1	1,240	250	0	0
1	DEC 09, 2022	2022-4	1,240	130	40	0

This Document Last Updated : FEB 07, 2024

Definitions :

Report Quarter : The quarter the manufacturer is reporting recall completion figures (e.g. 2012-3 means the 3rd quarter of 2012).

Recall Population : The total number of products recalled by the manufacturer.

Total Remedied : The total number of products either remedied, inspected without needing remedy, or returned to inventory.

Total Unreachable : Products deemed unreachable as owner notifications were unable to be delivered.

Total Removed : Products that have been scrapped, stolen, or exported.