

Recall Quarterly Report**22V-911**

Manufacturer Name : Braun Ambulances
NHTSA Recall No. / MFR Recall No. : 22V-911 /2022-02
Recall Subject : Condenser Fan Malfunction in HVAC System
Owner Notification Beginning Date : DEC 15, 2022
Owner Notification End Date: JAN 18, 2023

**Quarterly Reports**

Report #	Submission Date	Report Quarter	Recall Population	Total Remedied	Total Unreachable	Total Removed
7	JUL 26, 2024	2024-2	1,321	408	0	0
6	APR 29, 2024	2024-1	1,321	391	0	0
5	FEB 06, 2024	2023-4	1,321	370	0	0
4	NOV 20, 2023	2023-3	1,321	359	0	0
3	AUG 04, 2023	2023-2	1,321	298	0	0
2	AUG 04, 2023	2023-1	1,321	200	0	0
1	MAR 29, 2023	2022-4	1,321	168	0	0

This Document Last Updated : JUL 29, 2024

Definitions :

Reporting Period: The reporting period is the manufacturer is reporting recall completion figures.

Report Quarter : The quarter the manufacturer is reporting recall completion figures (e.g. 2012-3 means the 3rd quarter of 2012).

Recall Population : The total number of products recalled by the manufacturer.

Total Remedied : The total number of products either remedied, inspected without needing remedy, or returned to inventory.

Total Unreachable : Products deemed unreachable as owner notifications were unable to be delivered.

Total Removed : Products that have been scrapped, stolen, or exported.