

# Recall Annual Report

# 22V268



U.S. Department  
of Transportation  
  
National Highway  
Traffic Safety  
Administration

**Manufacturer Name:** Kibbi, LLC**NHTSA Recall No. / MFR Recall No.:** 22V268 /**Recall Subject:** Electrical Relay May Overheat and Cause Fire**Owner Notification Beginning Date:** Apr 29, 2022

## Annual Reports

Report #	Submission Date	Update Date	Reporting Period	Recall Population	Total Remedied	Total Unreachable	Total Removed
2	Apr 06, 2026	Apr 06, 2026	2025-2 to 2026-1	148	77	0	0
1	Apr 21, 2025	Apr 21, 2025	2024-2 to 2025-1	148	77	0	0

## Quarterly Reports

Report #	Submission Date	Update Date	Report Quarter	Recall Population	Total Remedied	Total Unreachable	Total Removed
8	Apr 24, 2024	Apr 24, 2024	2024-1	148	77	0	0
7	Jan 26, 2024	Jan 26, 2024	2023-4	148	77	0	0
6	Oct 23, 2023	Oct 31, 2023	2023-3	148	77	0	0
5	Jul 17, 2023	Jul 18, 2023	2023-2	148	77	0	0
4	Apr 05, 2023	Apr 05, 2023	2023-1	148	76	0	0
3	Jan 02, 2023	Jan 03, 2023	2022-4	148	72	0	0
2	Oct 13, 2022	Oct 13, 2022	2022-3	148	68	0	0
1	Jun 30, 2022	Jul 05, 2022	2022-2	148	44	0	0

This document last updated: Apr 06, 2026

**Definitions:**

**Reporting Period:** The reporting period the manufacturer is reporting recall completion figures.

**Report Quarter:** The quarter the manufacturer is reporting recall completion figures (e.g. 2012-3 means the 3rd quarter of 2012).

**Recall Population:** The total number of products recalled by the manufacturer.

**Total Remedied:** The total number of products either remedied, inspected without needing remedy, or returned to inventory.

**Total Unreachable:** Products deemed unreachable as owner notifications were unable to be delivered.

**Total Removed:** Products that have been scrapped, stolen, or exported.

