

# Recall Annual Report

# 22V538



U.S. Department  
of Transportation  
  
National Highway  
Traffic Safety  
Administration

**Manufacturer Name:** E-One Incorporated  
**NHTSA Recall No. / MFR Recall No.:** 22V538 /  
**Recall Subject:** Electrical Load Center May Overheat  
**Owner Notification Beginning Date:** Oct 24, 2022

## Annual Reports

Report #	Submission Date	Update Date	Reporting Period	Recall Population	Total Remedied	Total Unreachable	Total Removed
1	Oct 23, 2025	Oct 23, 2025	2024-4 to 2025-3	78	19	0	0

## Quarterly Reports

Report #	Submission Date	Update Date	Report Quarter	Recall Population	Total Remedied	Total Unreachable	Total Removed
8	Oct 28, 2024	Oct 29, 2024	2024-3	78	19	0	0
7	Jul 24, 2024	Jul 24, 2024	2024-2	78	19	0	0
6	Apr 29, 2024	May 03, 2024	2024-1	78	19	0	0
5	Jan 30, 2024	Feb 01, 2024	2023-4	78	19	0	0
4	Oct 25, 2023	Oct 30, 2023	2023-3	78	16	0	0
3	Jul 21, 2023	Jul 24, 2023	2023-2	78	16	0	0
2	Apr 28, 2023	Apr 28, 2023	2023-1	78	15	0	0
1	Nov 29, 2022	Nov 30, 2022	2022-4	78	2	0	0

This document last updated: Oct 27, 2025

### Definitions:

**Reporting Period:** The reporting period the manufacturer is reporting recall completion figures.

**Report Quarter:** The quarter the manufacturer is reporting recall completion figures (e.g. 2012-3 means the 3rd quarter of 2012).

**Recall Population:** The total number of products recalled by the manufacturer.

**Total Remedied:** The total number of products either remedied, inspected without needing remedy, or returned to inventory.

**Total Unreachable:** Products deemed unreachable as owner notifications were unable to be delivered.

**Total Removed:** Products that have been scrapped, stolen, or exported.

