

# Recall Annual Report

# 22V539



U.S. Department  
of Transportation  
  
National Highway  
Traffic Safety  
Administration

**Manufacturer Name:** Spartan Fire, LLC  
**NHTSA Recall No. / MFR Recall No.:** 22V539 / 22003  
**Recall Subject:** Electrical Load Center May Overheat  
**Owner Notification Beginning Date:** Sep 14, 2022

## Annual Reports

Report #	Submission Date	Update Date	Reporting Period	Recall Population	Total Remedied	Total Unreachable	Total Removed
1	Jul 31, 2025	Jul 31, 2025	2024-3 to 2025-2	25	15	0	4

## Quarterly Reports

Report #	Submission Date	Update Date	Report Quarter	Recall Population	Total Remedied	Total Unreachable	Total Removed
8	Jul 29, 2024	Jul 30, 2024	2024-2	25	15	0	4
7	Apr 30, 2024	May 14, 2024	2024-1	25	15	0	4
6	Jan 31, 2024	Feb 07, 2024	2023-4	25	15	0	4
5	Oct 30, 2023	Oct 31, 2023	2023-3	25	15	0	4
4	Jul 30, 2023	Jul 31, 2023	2023-2	25	15	0	4
3	Apr 28, 2023	Apr 28, 2023	2023-1	25	15	0	4
2	Apr 28, 2023	Apr 28, 2023	2022-4	25	14	0	4
1	May 14, 2024	May 14, 2024	2022-3	25	3	0	4

This document last updated: Jul 31, 2025

### Definitions:

**Reporting Period:** The reporting period the manufacturer is reporting recall completion figures.

**Report Quarter:** The quarter the manufacturer is reporting recall completion figures (e.g. 2012-3 means the 3rd quarter of 2012).

**Recall Population:** The total number of products recalled by the manufacturer.

**Total Remedied:** The total number of products either remedied, inspected without needing remedy, or returned to inventory.

**Total Unreachable:** Products deemed unreachable as owner notifications were unable to be delivered.

**Total Removed:** Products that have been scrapped, stolen, or exported.

