



7102 #10, 52 Street
Lacombe, AB T4L 1Y9

302 Portage Ave
Saskatoon, SK S7J 4C6

Safety Recall: 22V 585
Pleasure-Way Industries, Ltd.
August , 2022

IMPORTANT SAFETY RECALL

Dealer Name

Dear Valued Dealer:

This notice is sent to you in accordance with the National Traffic and Motor Vehicle Safety Act.

Pleasure-Way in consultation with Spyder Controls has decided that a defect which relates to motor vehicle safety exists in certain 2021.5 -2022 Pleasure-Way Plateau TS Motor Homes equipped with Spyder Controls DCF4 Circuit Board.

Reason for this recall The DCF4 Circuit board labeled for 30A Max fuse holders were equipped with fuse pins rated at a max of 20A continuous load. The DCF4 circuit board is dedicated to the fridge operation. The Fridge in the Plateau TS when operating in the DC mode can draw up to 20A continuously which can result in the 30A fridge fuse, fuse pins and fridge wire to overheat.

If the 30A fuse, fuse pins, and fridge wire do overheat it could create a thermal incident. This may cause a fire and could result in property damage, personal injury, or death.

Recall Remedy Remove the fridge wiring and fridge fuse from the DCF4 Circuit board, install a dedicated 30A fused relay for the fridge operating directly from the switched DC power source. Label the DCF4 Board; “Max 20A Fuse Do Not Add Extra Fuses”.

What should you do? Our records show the following units may be affected by this recall and are currently part of the inventory at your Dealership.

Chassis VIN # XXXXXXXXXXXXXXXXXX

Chassis VIN # XXXXXXXXXXXXXXXXXX

The Recall Remedy must be completed on these units **prior** to customer delivery. The 30 A fused Relay and installation instructions can be obtained directly from Spyder Controls at <https://www.PWDCF4recall.com/> (Step 2).

Please contact the Spyder Controls at DCF4recall@spydercontrols.com or phone 1-877-977-2752 with any additional questions.

FEDERAL LAW requires that all units in your inventory be repaired prior to delivery to a customer. If you have sold a unit recently that you have received a recall notice on, please contact the owner immediately to advise of the recall. In addition, please register the unit by submitting the Warranty Registration.

Time allotted: 1.0 hours per unit. Additional labor requests require prior authorization from Spyder Controls. Claims for the units which have been serviced must be submitted at <https://www.PWDCF4recall.com/servicecenter> . Claims submitted will be used by Spyder Controls Corp. to record recall service completions and provide dealer payments.

We apologize for any inconvenience this situation may cause and greatly appreciate your cooperation. Our customers' safety is our most important priority.

Sincerely,

Spyder Controls Corp and Pleasure-Way Industry Ltd.