

**Recall Quarterly Report****23E-059**

**Manufacturer Name :** SmartPlug Systems, LLC  
**NHTSA Recall No. / MFR Recall No. :** 23E-059 /  
**Recall Subject :** Cracked D-ring in 30-Amp Inlet May Cause Failure  
**Owner Notification Beginning Date :** AUG 15, 2023  
**Owner Notification End Date:** SEP 15, 2023



Report #	Submission Date	Report Quarter	Recall Population	Total Remedied	Total Unreachable	Total Removed
3	MAY 06, 2024	2024-1	1,323	967	0	0
2	FEB 15, 2024	2023-4	1,323	950	0	0
1	DEC 04, 2023	2023-3	1,248	950	0	0

This Document Last Updated : MAY 06, 2024

**Definitions :**

**Report Quarter :** The quarter the manufacturer is reporting recall completion figures (e.g. 2012-3 means the 3<sup>rd</sup> quarter of 2012).

**Recall Population :** The total number of products recalled by the manufacturer.

**Total Remedied :** The total number of products either remedied, inspected without needing remedy, or returned to inventory.

**Total Unreachable :** Products deemed unreachable as owner notifications were unable to be delivered.

**Total Removed :** Products that have been scrapped, stolen, or exported.