

# Recall Quarterly Report

# 23V451



U.S. Department  
of Transportation

National Highway  
Traffic Safety  
Administration

**Manufacturer Name:** Lion Electric Company

**NHTSA Recall No. / MFR Recall No.:** 23V451 / R2023-007a

**Recall Subject:** Electrical Short May Cause High Voltage Shutdown

**Owner Notification Beginning Date:** Aug 21, 2023

## Quarterly Reports

Report #	Submission Date	Update Date	Report Quarter	Recall Population	Total Remedied	Total Unreachable	Total Removed
7	Jun 27, 2025	Jun 27, 2025	2025-1	170	0	0	0
6	Apr 28, 2025	Apr 29, 2025	2024-4	170	0	0	0
5	Oct 17, 2024	Oct 17, 2024	2024-3	170	0	0	0
4	Jul 17, 2024	Jul 17, 2024	2024-2	170	0	0	0
3	Apr 26, 2024	Apr 26, 2024	2024-1	170	0	0	0
2	Jan 30, 2024	Jan 31, 2024	2023-4	170	0	0	0
1	Oct 26, 2023	Oct 27, 2023	2023-3	170	0	0	0

This document last updated: Jun 27, 2025

### Definitions:

**Report Quarter:** The quarter the manufacturer is reporting recall completion figures (e.g. 2012-3 means the 3rd quarter of 2012).

**Recall Population:** The total number of products recalled by the manufacturer.

**Total Remedied:** The total number of products either remedied, inspected without needing remedy, or returned to inventory.

**Total Unreachable:** Products deemed unreachable as owner notifications were unable to be delivered.

**Total Removed:** Products that have been scrapped, stolen, or exported.

