

Recall Quarterly Report

23V607

U.S. Department
of TransportationNational Highway
Traffic Safety
Administration**Manufacturer Name:** Nova Bus (US) Inc.**NHTSA Recall No. / MFR Recall No.:** 23V607 / CR5445**Recall Subject:** 250-Amp Fuse Holder May Overheat and Cause Fire**Owner Notification Beginning Date:** Nov 07, 2023

Quarterly Reports

Report #	Submission Date	Update Date	Report Quarter	Recall Population	Total Remedied	Total Unreachable	Total Removed
8	Oct 30, 2025	Oct 30, 2025	2025-3	1,189	1,054	0	0
7	Jul 30, 2025	Jul 30, 2025	2025-2	1,189	999	0	0
6	Apr 29, 2025	Apr 30, 2025	2025-1	1,189	843	0	0
5	Jan 31, 2025	Jan 31, 2025	2024-4	1,189	322	0	0
4	Oct 31, 2024	Oct 31, 2024	2024-3	1,189	213	0	0
3	Jul 31, 2024	Jul 31, 2024	2024-2	1,189	24	0	0
2	Apr 25, 2024	Apr 25, 2024	2024-1	1,189	3	0	0
1	Jan 30, 2024	Jan 30, 2024	2023-4	1,189	3	0	0

This document last updated: Oct 30, 2025

Definitions:

Report Quarter: The quarter the manufacturer is reporting recall completion figures (e.g. 2012-3 means the 3rd quarter of 2012).

Recall Population: The total number of products recalled by the manufacturer.

Total Remedied: The total number of products either remedied, inspected without needing remedy, or returned to inventory.

Total Unreachable: Products deemed unreachable as owner notifications were unable to be delivered.

Total Removed: Products that have been scrapped, stolen, or exported.

