

# Recall Quarterly Report

# 23V812



U.S. Department  
of Transportation  
  
National Highway  
Traffic Safety  
Administration

**Manufacturer Name:** Gillig, LLC**NHTSA Recall No. / MFR Recall No.:** 23V812 /**Recall Subject:** Incorrect Fuse May Overheat and Cause Fire**Owner Notification Beginning Date:** Jan 24, 2024

## Quarterly Reports

Report #	Submission Date	Update Date	Report Quarter	Recall Population	Total Remedied	Total Unreachable	Total Removed
8	Jan 21, 2026	Jan 21, 2026	2025-4	3,626	1,495	0	0
7	Oct 14, 2025	Oct 14, 2025	2025-3	3,626	1,468	0	0
6	Jul 16, 2025	Jul 16, 2025	2025-2	3,626	1,413	0	0
5	Apr 01, 2025	Apr 01, 2025	2025-1	3,626	1,296	0	0
4	Jan 02, 2025	Jan 02, 2025	2024-4	3,626	1,211	0	0
3	Oct 18, 2024	Oct 18, 2024	2024-3	3,626	1,194	0	0
2	Jul 03, 2024	Jul 03, 2024	2024-2	3,626	939	0	0
1	Apr 03, 2024	Apr 04, 2024	2024-1	3,626	164	0	0

This document last updated: Jan 22, 2026

**Definitions:**

**Report Quarter:** The quarter the manufacturer is reporting recall completion figures (e.g. 2012-3 means the 3rd quarter of 2012).

**Recall Population:** The total number of products recalled by the manufacturer.

**Total Remedied:** The total number of products either remedied, inspected without needing remedy, or returned to inventory.

**Total Unreachable:** Products deemed unreachable as owner notifications were unable to be delivered.

**Total Removed:** Products that have been scrapped, stolen, or exported.

