

Recall Quarterly Report

23V-819

Manufacturer Name : Ferrara Fire Apparatus, Inc.
NHTSA Recall No. / MFR Recall No. : 23V-819 /
Recall Subject : Overloaded Electrical System May Cause Fire
Owner Notification Beginning Date : JAN 26, 2024
Owner Notification End Date: JAN 26, 2024



Quarterly Reports

Report #	Submission Date	Report Quarter	Recall Population	Total Remedied	Total Unreachable	Total Removed
4	JAN 27, 2025	2024-4	6	0	0	0
3	OCT 30, 2024	2024-3	6	0	0	0
2	JUL 31, 2024	2024-2	6	0	0	0
1	APR 30, 2024	2024-1	6	0	0	0

This Document Last Updated : JAN 28, 2025

Definitions :

Reporting Period: The reporting period is the manufacturer is reporting recall completion figures.

Report Quarter : The quarter the manufacturer is reporting recall completion figures (e.g. 2012-3 means the 3rd quarter of 2012).

Recall Population : The total number of products recalled by the manufacturer.

Total Remedied : The total number of products either remedied, inspected without needing remedy, or returned to inventory.

Total Unreachable : Products deemed unreachable as owner notifications were unable to be delivered.

Total Removed : Products that have been scrapped, stolen, or exported.