

# Part 573 Safety Recall Report

# 23V-739

**Manufacturer Name :** Forest River, Inc.**Submission Date :** NOV 03, 2023**NHTSA Recall No. :** 23V-739**Manufacturer Recall No. :** 67-1700**Manufacturer Information :**

Manufacturer Name : Forest River, Inc.

Address : 55470 CR 1

P.O. Box 3030 Elkhart IN 46515-3030

Company phone : 1-800-348-7440

**Population :**

Number of potentially involved : 24

Estimated percentage with defect : 100 %

**Vehicle Information :**

Vehicle 1 : 2023-2024 Forest River Inc. Sandstorm Toy Hauler Travel Trailers

Vehicle Type : TRAILERS

Body Style : OTHER

Power Train : NR

Descriptive Information : Since inception of the model(s), the incorrect wire gauge has been used.

2023 - SANDSTORM TOY HAULER SCTFK2600-CA-67 1

2024 SANDSTORM TOY HAULER SCT2600SRT-CA-67 6

Grand Total 7

Production Dates : JUL 24, 2023 - OCT 16, 2023

VIN Range 1 : Begin :

NR

End : NR

 Not sequential

Vehicle 2 : 2023-2024 Forest River Inc. Stealth Travel Trailers

Vehicle Type : TRAILERS

Body Style : OTHER

Power Train : NR

Descriptive Information : Since inception of the model(s), the incorrect wire gauge has been used.

2023 STEALTH TOWABLES SFTKB2600-CA-67 1

2024 STEALTH TOWABLES SFT2600SLT-CA-67 13

Grand total 14

Production Dates : JUL 24, 2023 - OCT 16, 2023

VIN Range 1 : Begin :

NR

End : NR

 Not sequential

Vehicle 3 : 2024-2024 Forest River Inc. Shockwave Toy Hauler Travel Trailers

Vehicle Type : TRAILERS

Body Style : OTHER

Power Train : NR

Descriptive Information : Since inception of the model(s), the incorrect wire gauge has been used.  
2024 SHOCKWAVE TOY HAULER SHT2600RLT-CA-67 3  
Grand total 3

Production Dates : JUL 24, 2023 - OCT 16, 2023

VIN Range 1 : Begin :

NR

End : NR

Not sequential

## Description of Defect :

Description of the Defect : An incorrect wire gauge was routed from the 50AMP inlet to a transfer switch then to the distribution panel.

FMVSS 1 : NR

FMVSS 2 : NR

Description of the Safety Risk : The incorrect gauge wire could potentially melt; causing a short which could potentially lead to a fire, property damage and/or personal injury.

Description of the Cause : Manufacturing error.

Identification of Any Warning None  
that can Occur :

## Involved Components :

Component Name 1 : Wiring

Component Description : 110V Wiring; 10-gauge

Component Part Number : N/A

## Supplier Identification :

### Component Manufacturer

Name : NR

Address : NR

NR

Country : NR

## Chronology :

On November 1, 2023, during a routine Corporate Standards Audit, it was discovered that the manufacturing plant was installing the incorrect wire gauge between the 50AMP inlet to a transfer switch then to the distribution panel. The same day, the manufacturing plant contacted Forest River's Office of Corporate Compliance ("OCC"). OCC opened a research item.

On November 3, 2023, Forest Rivers Corporate Recall Committee voted to recall.

## Description of Remedy :

**Description of Remedy Program :** Forest River will provide all parts and labor free of charge to Consumers and Dealers. An authorized Forest River Dealer or Service Center will need to perform the remedy. The incorrect 10-gauge wire will be replaced with the correct 6-gauge wire.

What is the Forest River Customer Service Phone Number? (951)  
357-2327

If you have already paid for a repair that is within the scope of this defect under recall, you still need to have this recall inspected and/or performed to ensure the correct parts and procedures were utilized. Additionally, you may be eligible for a refund of previously paid repairs. Refunds will only be provided for within the scope of this defect under recall.  
Please send the service invoice to the following address:

Sealth, Sandstorm and Shockwave  
Forest River, Inc.  
Attn: WARRANTY MANAGER  
920 West Mayberry Ave  
Hemet, CA 92543

**How Remedy Component Differs from Recalled Component :** Affected Component – Wiring - 110V Wiring; 10-gauge  
Part Number N/A

Replacement Component – Wiring - 110V Wiring; 6-gauge

The wiring will now be the correct gauge.

**Identify How/When Recall Condition was Corrected in Production :** The week of November 1, 2023, the manufacturing plant began remediating all vehicles at the manufacturing plant with the correct gauge wiring.

## Recall Schedule :

**Description of Recall Schedule :** Forest River has the utmost urgency in our recalls. Forest River will send

suspected VIN numbers to our third party vendor that is licensed to pull data on the current owner of the vehicles (as needed) once a formal NHTSA I.D. is provided. Forest River intends on pushing the mailing out as soon as NHTSA provides any correction(s) and an Acknowledgement Letter.

Planned Dealer Notification Date : DEC 13, 2023 - DEC 13, 2023

Planned Owner Notification Date : DEC 13, 2023 - DEC 13, 2023

\* NR - Not Reported