

ATTENTION: Dealer Principal, Warranty Manager, Service Manager, Parts Manager
Freightliner Dealers – U.S. and Canada
Western Star and Sterling Dealers – U.S. and Canada
FCCC Dealers – U.S. and Canada
Thomas Built Buses Dealers – U.S. and Canada
Direct Warranty Customers – U.S. and Canada
Detroit Diesel Distributors
Export Distributors

Daimler Truck North America LLC

WARRANTY CAMPAIGNS DEPARTMENT

P.O. Box 4090

800-547-0712

Portland, Oregon 97208-4090

If you have questions about this Letter, please submit your inquiry on the Web using the [WSC Link on DTNA Portal](#)

REF #: ICI24-048

Effective: 12/06/2024

Release: 12/06/2024

SUBJECT: FL958-H & FL966-G Suspended

This letter is to inform you that campaigns FL958-H and FL966-G, Brake Modulator Valves, will be suspended today, Friday, December 06, 2024. As of Friday, December 06, 2024, you will see FL958-H and FL966-G marked as "Suspended" in OWL.

There is a backend software issue preventing the update. The campaigns will resume once the software is updated and the issue is resolved.

If you have questions or need further information, contact the Warranty Campaigns Department by submitting an inquiry using the Warranty Support Center (WSC) app, located on the DTNA Portal.

REF #: ICI24-048

En vigueur: 06/12/2024

Date de sortie: 06/12/2024

OBJET: FL958-H et FL966-G suspendus

Cette lettre a pour but de vous informer que les campagnes FL958-H et FL966-G, Valves de modulateur de freinage, seront suspendues aujourd'hui, vendredi 06 décembre 2024. À compter du vendredi 06 décembre 2024, vous verrez FL958-H et FL966-G marqué comme Suspendu dans OWL.

Un problème logiciel back-end empêche la mise à jour. Les campagnes reprendront une fois le logiciel mis à jour et le problème résolu..

Si vous avez des questions ou avez besoin de plus d'informations, contactez le service des campagnes de garantie en soumettant une demande à l'aide de l'application Garantie Support Center (WSC), située sur le portail DTNA.

The information contained in this letter supercedes and supplements any related policies and procedures in any previously released bulletins, the Warranty Manual, and/or previously released letters. Failure to read or distribute this letter will not exempt addressees from compliance with the information contained herein.