



LEISURE
TRAVEL VANS



IMPORTANT SAFETY RECALL

June 9, 2023

«Dealer»

Triple E Recreational Vehicles
A Division of Triple E Canada Ltd.

P: 204 325 4361
F: 204 325 5241

301 Roblin Blvd.
P.O. Box 1230
Winkler, Manitoba CA
R6W 4C4

U.S. Mailing:
P.O. Box 68
Walhalla, ND 58282

LEISUREVANS.COM
TRIPLEERV.COM

“This notice applies to this vehicle, «ProductLine»
VIN #«Vin»
Coach #«UNIT_CoachID»

Triple E Recreational Vehicles Recall CA#10318-1 NHTSA #23V387

This notice is sent to you in accordance with the requirements of the National Traffic & Motor Vehicle Safety Act. Triple E Recreational Vehicles has decided that a non-compliance exists in certain 2023 Unity motorhomes (U24CB, U24FX, U24MB, U24MBL, U24RL, U24TB) and 2023 Wonder motorhomes (W24RL & W24RTB) manufactured between November 17, 2022 and April 27, 2023

Description of Defect:

The Marshall 2-stage regulator with certain lot #'s (K0722 & K1822) may leak propane at the rolled crimp connection. The high-pressure side of the regulator is not correctly crimped leading to the high pressure of the propane tank getting around the body to face seal. In the event of a LP leak a spark could cause an increased risk of fire and bodily injury.

To Have This Modification Performed:

We request your assistance to have this safety issue corrected. Follow SOP10585 included in this mailing to perform a leak test to confirm if the regulator leaks. If the regulator fails replacement of the regulator is necessary. If the regulator passes no action is required.

For reimbursement submit a warranty application for,
Labour for LP leak test: 0.25 hr/ per single regulator – 0.5 hr/ dual regulators
Labour to replace regulator(s): 0.5 /hr per single regulator – 1.0 hrs/ dual regulator

For more information contact Triple E RV/Leisure Travel Vans at 1-877-992-9906 Customer Service / Warranty department or by e-mail recalls@tripleerv.com in the subject line "Recall CA#10318-1".

Thank you for your anticipated assistance and please do not hesitate to contact us should you require additional information.

Sincerely,



Brad Wall
Customer Service / Warranty Manager

BW/wcw

Enclosure

1 – SOP10585 (Standard Operating Procedure)