

**Recall Quarterly Report****24V-203****Manufacturer Name :** Nova Bus (US) Inc.**NHTSA Recall No. / MFR Recall No. :** 24V-203 /CR5570**Recall Subject :** Improperly Tightened Nut May Cause Electrical Arc**Owner Notification Beginning Date :** APR 10, 2024**Owner Notification End Date:** APR 10, 2024**Quarterly Reports**

Report #	Submission Date	Report Quarter	Recall Population	Total Remedied	Total Unreachable	Total Removed
4	APR 29, 2025	2025-1	608	483	0	0
3	JAN 31, 2025	2024-4	608	475	0	0
2	OCT 31, 2024	2024-3	608	435	0	0
1	JUL 31, 2024	2024-2	608	222	0	0

This Document Last Updated : APR 30, 2025

**Definitions :**

**Reporting Period:** The reporting period is the manufacturer is reporting recall completion figures.

**Report Quarter :** The quarter the manufacturer is reporting recall completion figures (e.g. 2012-3 means the 3<sup>rd</sup> quarter of 2012).

**Recall Population :** The total number of products recalled by the manufacturer.

**Total Remedied :** The total number of products either remedied, inspected without needing remedy, or returned to inventory.

**Total Unreachable :** Products deemed unreachable as owner notifications were unable to be delivered.

**Total Removed :** Products that have been scrapped, stolen, or exported.