

# Part 573 Safety Recall Report

## 24E-007

**Manufacturer Name :** Worldwide Distribution, LLLP

**Submission Date :** FEB 05, 2024

**NHTSA Recall No. :** 24E-007

**Manufacturer Recall No. :** NR



### Manufacturer Information :

**Manufacturer Name :** Worldwide Distribution, LLLP

**Address :** 9905 Old St Augustine Road  
Suite 105 Jacksonville FL 32257

**Company phone :** 9042684921

### Population :

**Number of potentially involved :** 665

**Estimated percentage with defect :** 45 %

### Equipment Information :

**Brand / Trade 1 :** INGUSA / LP ASME Tanks

**Model :** Remote fill ASME LP Tank

**Part No. :** 10.3gal 5.9gal

**Size :** 10.75x31" ; 8x31"

**Function :** NR

**Descriptive Information :** The recall population consists of remote LP tanks with the following serial number ranges: 5.9 gallon LP tank: U-188979 to U-189178; U-189179 to U-189378; U-189379 to U-189618, U-189923 to U-190231; U-190232 to U-190331; U-190332 to U-190562; 10.3 gallon LP tank: U-199923 – U-200122  
Note: The above is the relevant range of serial numbers, however, not all serial numbers contained with each range are affected.

**Production Dates :** APR 01, 2023 - AUG 31, 2023

### Description of Defect :

**Description of the Defect :** In certain remote fill Liquid Propane (LP) tanks, if the tank is filled while the valve is in the open position, LP vapor can escape from the liquid level gauge.

**FMVSS 1 :** NR

**FMVSS 2 :** NR

**Description of the Safety Risk :** If LP vapor escapes while in the presence of an open flame, there is an increased the risk of a thermal event or fire.

**Description of the Cause :** NR

**Identification of Any Warning that can Occur :** The user may observe a reduced LP level on the tank gauge or notice the smell of propane if a leak is present.

Involved Components :

Component Name : Remote Fill Liquid Level Gauge

Component Description : Bleeder valve with circle shape in hand-wheel

Component Part Number : 11045B

Supplier Identification :

Component Manufacturer

Name : Grand Hall Enterprise Co., Ltd

Address : 9th Floor, No. 298, Rueiguang Road

Neihu Taipei Foreign States 114

Country : Taiwan, Province of China

Chronology :

The chronology will be uploaded separately as an attachment

Description of Remedy :

Description of Remedy Program : The valve will be inspected to determine whether it falls within the affected range and if so, the gauge will be replaced with a different part. The repair will be provided to vehicle owners free of charge. Vehicle manufacturers will conduct the remedy program

How Remedy Component Differs from Recalled Component : The remedy component will not allow LP vapor to escape when tested with the gauge in the open position. There will be no circle shape in the hand-wheel

Identify How/When Recall Condition was Corrected in Production : A new valve design was introduced in July 2023

Recall Schedule :

Description of Recall Schedule : NR

Planned Dealer Notification Date : FEB 15, 2024 - FEB 28, 2024

Planned Owner Notification Date : FEB 15, 2024 - FEB 28, 2024

**Purchaser Information :**

The following manufacturers purchased this defective/noncompliant equipment for possible use or installation in new motor vehicles or new items of motor vehicle equipment:

Name : Forest River, Inc.

Address : NR

NR

Country : US

Company Phone : NR

Name : Jayco, Inc

Address : NR

00

Country : NR

Company Phone : NR

Name : Thor Motorcoach

Address : NR

NR

Country : US

Company Phone : NR

\* NR - Not Reported