

Part 573 Safety Recall Report

24V-432

Manufacturer Name : Airstream, Inc.

Submission Date : JUN 12, 2024

NHTSA Recall No. : 24V-432

Manufacturer Recall No. : NR



Manufacturer Information :

Manufacturer Name : Airstream, Inc.

Address : 419 West Pike Street
PO Box 629 Jackson Center OH
45334-0629

Company phone : 937-596-6111

Population :

Number of potentially involved : 2

Estimated percentage with defect : 100 %

Vehicle Information :

Vehicle 1 : 2024-2024 Airstream Interstate

Vehicle Type : BUSES, MEDIUM & HEAVY VEHICLES

Body Style : VAN

Power Train : DIESEL

Descriptive Information : The recall population was established by reviewing the installation process and determined the deficiency began occurring due to a revision in the 12V back-up power supply electrical harness.

Production Dates : MAR 07, 2024 - MAR 08, 2024

VIN Range 1 : Begin : 1B9GUWH23RJ311741 **End :** 1B9GUWH27RJ311743 Not sequential

Description of Defect :

Description of the Defect : Affected units do not have the required 12V in-line fuse in place on the circuit designed to provide back-up power to the water heater/furnace system.

FMVSS 1 : NR

FMVSS 2 : NR

Description of the Safety Risk : If a short circuit should occur, the power supply wire would continue to heat up, and increases the potential for fire which could result in personal injury.

Description of the Cause : We are attributing the root cause to a revision in the water heater/furnace 12V back-up power supply electrical harness.

Identification of Any Warning that can Occur : The owner could potentially smell something burning.

Involved Components :

Component Name 1 : Water Heater/Furnace 12V Back-Up Power Supply Harn

Component Description : 12V Electrical Wire Harness

Component Part Number : 514105

Supplier Identification :

Component Manufacturer

Name : NR

Address : NR

NR

Country : NR

Chronology :

5/21/2024 - Airstream identifies the discrepancy with the lack of overcurrent protection on the 12V back-up power supply electrical harness.

5/21/2024 - Airstream begins investigation.

6/6/2024 - The safety committee reviews all known data and determines a recall is warranted. Airstream is unaware of any warranty or injury claims due to this non-compliance.

Description of Remedy :

Description of Remedy Program : Airstream will provide it's dealers with the parts and procedure to remedy these units affected by the recall. This will be done at no cost to the owner. Reimbursement will follow the general reimbursement policy that is on file with NHTSA.

How Remedy Component Differs from Recalled Component : The 12V fuse will be in place, 18" from the back-up power supply.

Identify How/When Recall Condition was Corrected in Production : The issue was corrected in production on June 6, 2024.

Recall Schedule :

Description of Recall Schedule : Airstream has the utmost urgency in notifying owners about a recall that affects their vehicle. Letters will be sent out once all pertinent information has been gathered.

Planned Dealer Notification Date : AUG 08, 2024 - AUG 08, 2024

Planned Owner Notification Date : AUG 08, 2024 - AUG 08, 2024

* NR - Not Reported