

Part 573 Safety Recall Report

24V-902

Manufacturer Name : Kuntry Kustom RV, LLC

Submission Date : MAY 01, 2025

NHTSA Recall No. : 24V-902

Manufacturer Recall No. : NR



Manufacturer Information :

Manufacturer Name : Kuntry Kustom RV, LLC

Address : 423 S. Main St.
Topeka, IN 46571

Company phone : 593-2208

Population :

Number of potentially involved : 347

Estimated percentage with defect : 100 %

Vehicle Information :

Vehicle 1 : 2023-2024 Rich Specialty Trailers Sanitation, Office

Vehicle Type : TRAILERS

Body Style : OTHER

Power Train : NR

Descriptive Information : GE Appliances has decided that a defect which relates to motor vehicle safety exists in the ICM Controls ICM870-16A-BH5400 soft start units. GE equipment recall 24E-071. The soft start modules may contain an unknown design and/or manufacturing defect that increases the risk of thermal events.

Production Dates : JUL 18, 2023 - SEP 20, 2024

VIN Range 1 : Begin :

NR

End : NR

☐ Not sequential

Description of Defect :

Description of the Defect : GE Appliances has decided that a defect which relates to motor vehicle safety exists in the ICM Controls ICM870-16A-BH5400 soft start units. GE equipment recall 24E-071. The soft start modules may contain an unknown design and/or manufacturing defect that increases the risk of thermal events.

FMVSS 1 : NR

FMVSS 2 : NR

Description of the Safety Risk : Unit may emit smoke containing the byproducts of plastic or other component material combustion, and/or experience a thermal breach in the soft start's enclosure, leading to the destruction of the soft start and/or thermal damage.

Description of the Cause : Unknown cause due to design and/or manufacturing defect of soft start component.

Identification of Any Warning that can Occur : Air conditioning unit may emit smoke and/or burning odor.

Involved Components :

Component Name 1 : ICM Controls ICM870-16A-bh5400 Series Soft Start

Component Description : Electronic soft start device for trailer air conditioning units

Component Part Number : ICM870-16A-BH5400

Supplier Identification :

Component Manufacturer

Name : GE Appliances, A Haier Company

Address : 4000 Buchel Bank Road

Louisville Kentucky 40225

Country : United States

Chronology :

10/11/2024 Rich Specialty Trailers received a safety recall letter in the mail from GE Appliances.

11/15/2024 Rich Specialty Trailers notified of thermal event.

2/25/25 GE has not yet determined a final remedy.

5/1/25 GE has not yet determined a final remedy.

Description of Remedy :

Description of Remedy Program : Owners should have the soft start removed from the air conditioner. Final remedy has yet to be determined by GE. Rich Specialty Trailers and/or GE will reimburse owners for removal of soft start.

How Remedy Component Differs from Recalled Component : Remedy has not yet been determined by GE.

Identify How/When Recall Condition was Corrected in Production : Rich Specialty Trailers has not used GE air conditioners with a soft start device since 9/20/2024.

Recall Schedule :

Description of Recall Schedule : NR

Planned Dealer Notification Date : DEC 06, 2024 - DEC 06, 2024

Planned Owner Notification Date : DEC 06, 2024 - DEC 06, 2024

* NR - Not Reported