



A d/b/a of Jerry's Transmission Service Inc.

18448 County Road 9  
Lester Prairie, MN 55354

12249 South Rhea Drive; Suite 4  
Plainfield, IL 60585  
(320) 395-2911

3800 W. Cavalry Court; Suite 300  
Lincoln, NE 68528

[www.newambulances.com](http://www.newambulances.com)

December 31, 2024

## **NHTA Recall Completion Rate Report**

**Recall Number:** 24V406

**Manufacturer:** North Central Emergency Vehicles  
18448 County Road 9  
Lester Prairie, MN 55354

**Defect or Non-compliance:** The electrical current sensing calibration was not produced to specification so that the firmware would not shut off the output pin under a short circuit caused by external electrical load or wiring failure

**Involved Component:** Weldon Division of Akron Brass and IDEX Corporation  
V-Mux 8 x 16 I/O Node - 8 input/16 output multiplex node

**Part Number:** 6030-2000-00

**How potential vehicles were identified:** Parts reports for ambulance vehicles remounted during the time period identified by Weldon for defective part number from the beginning date recognized by the Weldon recall to current date were printed and scanned for defective part number 6030-2000-00. One vehicle was identified that potentially could have had that part number. Physical inspection of the reported truck found no such part in this vehicle.

**Number of vehicles identified:** One (1)

**Number of vehicles corrected/inspected** One (1)

**Date inspected/corrected:** 9/10/2024

**Recall completion rate:** 100%

**Reported by:**  
Fred Pawelk  
North Central Emergency Vehicles  
18448 County Road 9  
Lester Prairie, MN 55354