

# Part 573 Safety Recall Report

## 25V-287

**Manufacturer Name :** Forest River, Inc.**Submission Date :** MAY 02, 2025**NHTSA Recall No. :** 25V-287**Manufacturer Recall No. :** 99-1926**Manufacturer Information :**

Manufacturer Name : Forest River, Inc.

Address : 55470 CR 1

P.O. Box 3030 Elkhart IN 46515-3030

Company phone : 1-800-348-7440

**Population :**

Number of potentially involved : 1,167

Estimated percentage with defect : 100 %

**Vehicle Information :**

Vehicle 1 : 2025-2025 Forest River Inc. Campsite Reserve Travel Trailers

Vehicle Type : TRAILERS

Body Style : OTHER

Power Train : NR

Descriptive Information : The scope was identified since inception of the manufacturing plant.

2025 CAMPSITE RESERVE CRT19KB 341

2025 CAMPSITE RESERVE CRT26BW 322

2025 CAMPSITE RESERVE CRT26CJL 238

2025 CAMPSITE RESERVE CRT26TH 266

Grand Total 1167

Production Dates : JUL 19, 2024 - APR 28, 2025

VIN Range 1 : Begin : NR

End : NR

☐ Not sequential**Description of Defect :**

Description of the Defect : The solar controller may be wired to constant hot of a 30AMP mini-breaker, whereas it should be on the breaker side.

FMVSS 1 : NR

FMVSS 2 : NR

Description of the Safety Risk : 12V wiring may not have over current protection. This condition may lead to a fire and property damage.

Description of the Cause : Manufacturing Error

Identification of Any Warning that can Occur : None

**Involved Components :**

Component Name 1 : 12V Wiring

Component Description : 12V Wiring

Component Part Number : N/A

Supplier Identification :

Component Manufacturer

Name : NR

Address : NR

NR

Country : NR

Chronology :

On April 29, 2025, Forest River's Office of Corporate Compliance ("OCC") was made aware that during a Corporate Standards Audit of the manufacturing plant, these concerns had been discovered. OCC opened a research item.

On May 2, 2025, Forest River's Corporate Committee voted to recall.

Description of Remedy :

Description of Remedy Program :	Forest River will provide all parts and labor free of charge to Consumers and Dealers. An authorized Forest River dealer will need to perform the remedy to rewire the solar controller power wire to the breaker side of the mini-breaker.
	What is the Forest River Customer Service Phone Number? (260) 499-2100
	If you have already paid for a repair that is within the scope of this defect under recall, you still need to have this recall inspected and/or performed to ensure the correct parts and procedures were utilized. Additionally, you may be eligible for a refund of previously paid repairs. Refunds will only be provided for within the scope of this defect under recall. Please send the service invoice to the following address:
	Campsite Reservice 1500 North Detroit St. LaGrange, IN 46761
How Remedy Component Differs from Recalled Component :	Affected Component – 12V Wiring Replacement Component – 12V Wiring The wiring will now be routed to the breaker side of the mini-breaker to achieve over current protection
Identify How/When Recall Condition was Corrected in Production :	During the week of April 29, 2025, the manufacturing plant moved the solar controller power wire to the breaker side of the mini-breaker in production and in the holding yard.

Recall Schedule :

Description of Recall Schedule :	Forest River has the utmost urgency in our recalls. Forest River will send suspected VIN numbers to our third party vendor that is licensed to pull data on the current owner of the vehicles (as needed) once a formal NHTSA I.D. is provided. Forest River intends on pushing the mailing out as soon as NHTSA provides any correction(s) and an Acknowledgement Letter.
Planned Dealer Notification Date :	JUN 11, 2025 - JUN 11, 2025
Planned Owner Notification Date :	JUN 11, 2025 - JUN 11, 2025

\* NR - Not Reported