


RECALL 25V424 REMEDY INSTRUCTIONS

 FOREST RIVER	Make(s): SABRE Model(s): SEE BELOW Model Year(s): 2026	Repair Code: RC-096-09-00-004722 Allotted Time: .25 HRS. Inspection Code: N/A Allotted Time: N/A
	Concern: The exterior griddle may not be installed per the griddle manufactures installation guidelines.	Photo(s) Required: NO Prior Authorization Required: YES Part(s) Kit Number: SEE BELOW Part(s) Return: N/A

Turn off LP Gas at LPG Tank(s). Disconnect the vehicles' battery Positive and Negative, disconnect any House battery(s) Positive and Negative, if equipped with a generator ensure it is off and lastly, ensure the vehicle is disconnected from shore power. Block any tires/wheels to prevent the vehicle from rolling. Failure to do so may result in electrocution, fire or other personal injury, property damage and/or death.

CERTAIN – 2026 – SABRE: SRF36FLX

PART(S) KIT: 4 - SELF TAPPING SCREWS, SOURCE LOCALLY

STEP 1: LIFT GRIDDLE OFF SLIDING SHELF;

STEP 2: REMOVE LEGS/SCREWS FROM GRIDDLE BODY;


STEP 3: SET GRIDDLE BACK ON SHELF BUT MAKING SURE THE LEG HOLES IN GRIDDLE ARE MOVED SO IT DOESN'T ALIGN
WITH THE HOLES IN THE SHELF;

STEP 4: INSTALL SELF-TAPPING SCREWS THROUGH GRIDDLE LEG HOLES AND SECURE IT TO THE SHELF;

STEP 5: TEST FOR PROPER FUNCTIONALITY;

STEP 6: CLAIM REPAIR CODE.

RECALL 25V424 REMEDY INSTRUCTIONS

 FOREST RIVER	Make(s): SABRE Model(s): SEE BELOW Model Year(s): 2026	Repair Code: RC-096-09-00-004722 Allotted Time: .25 HRS. Inspection Code: N/A Allotted Time: N/A
	Concern: The exterior griddle may not be installed per the griddle manufactures installation guidelines.	Photo(s) Required: NO Prior Authorization Required: YES Part(s) Kit Number: SEE BELOW Part(s) Return: N/A

Turn off LP Gas at LPG Tank(s). Disconnect the vehicles' battery Positive and Negative, disconnect any House battery(s) Positive and Negative, if equipped with a generator ensure it is off and lastly, ensure the vehicle is disconnected from shore power. Block any tires/wheels to prevent the vehicle from rolling. Failure to do so may result in electrocution, fire or other personal injury, property damage and/or death.

CERTAIN – 2026 – SRF37FLH

PART(S) KIT: F100765442

- 12 - 1" BLACK SELF-TAPPING SCREWS
- 2 - METAL PLATES PART #HDWS001
- 2- 10 LBS. MAGNETS PART #HDWM005
- 2 - METAL PLATES PART #SC3118

STEP 1: LIFT GRIDDLE OFF SLIDING SHELF;

STEP 2: REMOVE LEGS/SCREWS FROM GRIDDLE BODY;

STEP 3: SET GRIDDLE BACK ON SHELF BUT MAKING SURE THE LEG HOLES IN GRIDDLE ARE MOVED SO IT DOESN'T ALIGN
WITH THE HOLES IN THE SHELF;

STEP 4: INSTALL SELF-TAPPING SCREWS THROUGH GRIDDLE LEG HOLES AND SECURE IT TO THE SHELF;

STEP 5: REMOVE STRUTS FROM BAGGAGE DOOR;

STEP 6: INSTALL TWO METAL PLATES ON BAGGAGE DOOR TO COVER SCREW HOLES FROM STRUTS;


STEP 7: INSTALL TWO MAGNETIC PLATES ON BAGGAGE DOOR;

STEP 8: INSTALL TWO MAGNETS ON SIDEWALL TO HOLD UP BAGGAGE DOOR;

STEP 9: TEST FOR PROPER FUNCTIONALITY;

STEP 10: CLAIM REPAIR CODE.

RECALL 25V424 REMEDY INSTRUCTIONS

 FOREST RIVER	Make(s): SABRE Model(s): SEE BELOW Model Year(s): 2026	Repair Code: RC-096-09-00-004722 Allotted Time: .25 HRS. Inspection Code: N/A Allotted Time: N/A
	Concern: The exterior griddle may not be installed per the griddle manufactures installation guidelines.	Photo(s) Required: NO Prior Authorization Required: YES Part(s) Kit Number: SEE BELOW Part(s) Return: N/A

Turn off LP Gas at LPG Tank(s). Disconnect the vehicles' battery Positive and Negative, disconnect any House battery(s) Positive and Negative, if equipped with a generator ensure it is off and lastly, ensure the vehicle is disconnected from shore power. Block any tires/wheels to prevent the vehicle from rolling. Failure to do so may result in electrocution, fire or other personal injury, property damage and/or death.

CERTAIN – 2026 – SRF38DBL

PART(S) KIT: F100765441

12 - 1" BLACK SELF-TAPPING SCREWS

1 – REPLACEMENT BAGGAGE DOOR

1 – REPLACEMENT GRIDDLE TRAY

DECAL(S)

STEP 1: REMOVE THE INSTALLED GRIDDLE TRAY;

STEP 2: INSTALL THE PROVIDED REPLACEMENT GRIDDLE TRAY;

- LIFT GRIDDLE OFF SLIDING SHELF;
- REMOVE LEGS/SCREWS FROM GRIDDLE BODY;
- SET GRIDDLE BACK ON SHELF BUT MAKING SURE THE LEG HOLES IN GRIDDLE ARE MOVED SO IT DOESN'T ALIGN WITH THE HOLES IN THE SHELF;
- INSTALL SELF-TAPPING SCREWS THROUGH GRIDDLE LEG HOLES AND SECURE IT TO THE SHELF;

STEP 3: REMOVE OLD BAGGAGE DOOR;

- CLEAN CAULK OFF OF SIDEWALL;

STEP 4: PUT FOAM ON BAGGAGE DOOR/ENSURE FOAM SEAL IS ON BAGGAGE DOOR;

STEP 5: INSTALL BAGGAGE DOOR;

- INSTALL DECALS ON NEW BAGGAGE DOOR;

STEP 6: TOP SEAL BAGGAGE DOOR;

STEP 7: TEST FOR PROPER FUNCTIONALITY;

STEP 8: CLAIM REPAIR CODE.