


## RECALL 25V539 REMEDY INSTRUCTIONS

 <b>FOREST RIVER</b>	Make(s): ENTRADA Model(s): EAC210NSC & EAC220SC Model Year(s): 2024 - 2026	Repair Code: RC-003-09-00-004742 Allotted Time: .25 HRS. Inspection Code: N/A Allotted Time: N/A
	Concern: The 7-way harness has a power wire from the chassis battery through a relay that is triggered by the brake lights that applies a full 12V to the trailer brakes.	Photo(s) Required: NO Prior Authorization Required: YES Part(s) Kit Number: N/A Part(s) Return: N/A

Place vehicle in (P) Park and engage the Parking Brake. Turn off LP Gas at LPG Tank(s). Disconnect the vehicles' battery Positive and Negative, disconnect any House battery(s) Positive and Negative, if equipped with a generator ensure it is off and lastly, ensure the vehicle is disconnected from shore power. Block any tires/wheels to prevent the vehicle from rolling. Failure to do so may result in electrocution, fire or other personal injury, property damage and/or death.

STEP 1: LOCATE THE CONNECTOR ON THE BACK OF THE HITCH THAT PLUGS INTO THE 7 WAY HOUSING;

STEP 2: PULL THE LOCKING TANG UP OFF OF THE CONNECTOR BLOCK;

- REMOVE THE CONNECTOR FROM THE HOUSING;
- THE WIRING HARNESS SHOULD BE FREE TO MOVE AROUND FROM WHERE IT IS ANCHORED BEFORE THAT CONNECTOR;

STEP 3: TRACE BACK 6" FROM THE CONNECTOR AND SPLIT THE LOOM;

- LOCATE THE 12 GA BLUE WIRE (IT IS THE ONLY BLUE WIRE IN THE BUNDLE OF WIRES IN THE LOOM)
- CUT THE BLUE WIRE IN HALF AND THEN CUT AWAY 2" OF IT;
- ON BOTH ENDS THAT ARE LEFT IN THE HARNESS, CRIMP ON A BELL CAP CONNECTOR TO EACH END AND THEN TAPE BACKUP INTO THE HARNESS BUNDLE AND RECOVER WITH LOOM;
- THE CIRCUIT FOR JUST THE BRAKES WILL NOT BE ABLE TO BE ACTIVATED NOW;

STEP 4: CLAIM REPAIR CODE.