



U.S. Department
of Transportation

National Highway
Traffic Safety
Administration

Part 573 Safety Recall Report

26E042

Manufacturer Name: Prime-Time Specialty Vehicles

Submission Date: Jul 06, 2026

NHTSA Recall No.: 26E042

Manufacturer Recall No.: 26E022

Manufacturer Information

Population

Manufacturer Name: Prime-Time Specialty
Vehicles

Address: 56616 Elk Park Drive
Elkhart IN, 46516

Total number of potentially involved: 12

Estimated percentage with defect: 0.1%

Equipment Information

Brand / Trade 1: AMERICAN SEATING

Model: Q'STRAIT MAX

Part Number: Q-10007

Type: Original

Function: Securement

Size:

Production Dates: Nov 11, 2025 - Feb 17, 2026

Number of potentially involved: 12

Descriptive Information:

This recall is based off of the original equipment manufacturer whom is Q'Strait of Oakland Park, FL. We have purchased a limited amount of these kits and installed them into a limited amount of vehicles.

Defect / Noncompliance Description

Description of the defect or noncompliance:

Please reference IMPORTANT SAFETY RECALL: 26E022 from Q'Strait for further information. Our recall is duplicating the information given to us from the OE (Q'Strait).

The affected retractors may intermittently fail to auto-lock when a wheelchair is installed at a seating position equipped with an affected retractor.

FMVSS1:

FMVSS2:

Part 573 Safety Recall Report

26E042**Description of the safety risk, including crash, fire, death, injury:**

If this should occur, a wheelchair may be inadequately restrained, and the wheelchair occupant could be injured in the event of a crash.

Description of the cause:**Identification of any warning that can occur:**

Retractor not tightening.

Component Manufacturer

Tier of Supplier: Tier 1

Supplier Type: OEM

Name: Q'Straint

Address: 4031 NE 12th Terrace
Oakland Park FL, 33334

Country: United States

Involved Components

Component Name 1: QRT-360 Retractor

Component Description: Q011012 - PN QRT-360 - Model (PLI FITTING)

Component Part Number: Q-10007

Purchaser Information

The following manufacturers purchased this defective/noncompliant equipment for possible use or installation in new motor vehicles or new items of motor vehicle equipment:

Name: Prime Time Specialty Vehicles Inc

Address: 56616 Elk Park Drive
Elkhart IN, 46516

Country: United States

Chronology

Part 573 Safety Recall Report

26E042

Recall is processed under - specifically 49 CFR Part 573.3 (f):

(f) In the case of a defect or noncompliance decided to exist in original equipment installed in the vehicles of more than one manufacturer, compliance with § 573.6 is required of the equipment manufacturer as to the equipment item, and of each vehicle manufacturer as to the vehicles in which the equipment has been installed. Compliance with § 573.7 is required of the manufacturer who is conducting the recall campaign.

Events leading up to the decision are passed-thru from the OE.

Related NHTSA Recall Number: NHTSA Recall Campaign 26E022

Description of Remedy

Remedy Type: Replace

Consumer Advisories: ☐ Do Not Drive ☐ Park Outside

Description of remedy program:

Q'Straint will send out replacements free of charge.

How remedy component differs from recalled component:

See Q'Straint Campaign for all information under remedy section.

Not all the retractors shipped during this period contain this defect.

Identify how/when recall condition was corrected in production:

The affected retractors may intermittently fail to auto-lock when a wheelchair is installed at a seating position equipped with an affected retractor.

Reimbursement Plan

Description of reimbursement program:

Reimbursement and repair costs are handled through Q'Straint.

Period of reimbursement:

Costs to be reimbursed:

Address for reimbursement claims:

4031 NE 12th Terrace
Oakland Park FL, 33334

Part 573 Safety Recall Report

26E042

Recall Schedule

Description of recall schedule:

Planned Dealer Notification Date: Oct 30, 2025 - Nov 03, 2025

☐ No Dealers

Planned Interim Owner Notification Date: Nov 10, 2025 - Nov 14, 2025

☐ No Owners

Planned Remedy Owner Notification Date: Nov 17, 2025 - Nov 21, 2025

☐ Phased Recall