



U.S. Department
of Transportation

National Highway
Traffic Safety
Administration

Part 573 Safety Recall Report

26V161

Manufacturer Name: Keystone RV Company

Submission Date: Mar 23, 2026

NHTSA Recall No.: 26V161

Manufacturer Recall No.: 26-480

Manufacturer Information

Population

Manufacturer Name: Keystone RV Company

Address: PO Box 2000
2642 Hackberry Drive
Goshen IN, 46527

Total number of potentially involved: 74

Estimated percentage with defect: 95%

Vehicle Information

Vehicle 1: 2026-2026 KEYSTONE MONTANA

Product Category: Trailers

Product Type:

Fuel / Propulsion:

Production Dates: Nov 10, 2025 - Feb 12, 2026

Number of potentially involved: 74

Descriptive Information:

Montana 3100RL

Defect / Noncompliance Description

Description of the defect or noncompliance:

It has been decided that the vehicles in the recall population may have insufficient securement of the 12-volt and 120-volt wires in the bedroom slide-out.

FMVSS1:

FMVSS2:

Description of the safety risk, including crash, fire, death, injury:

Under certain conditions during the operation of closing the bedroom slide out, the 12-volt and 120-volt wires may come in contact with a pinch point on the bed slide mechanism creating potential for an electrical fault leading to an increased risk of fire.

Part 573 Safety Recall Report**26V161****Description of the cause:**

The bedroom slide-out 12-volt and 120-volt wires may not be secured sufficiently enough to avoid potential pinch point contacts with the bed slide mechanism.

Identification of any warning that can occur:

Intermittent operation of lights or receptacles in the bedroom slide-out, tripped breakers, or visible signs of an electrical fault.

Component Manufacturer**Tier of Supplier:****Supplier Type:****Name:****Address:****Country:****Involved Components**

Component Name 1: Wire – SJ Cord – 12/3 - SJOOW

Component Description: 24" - Wire – SJ Cord – 12/3 - SJOOW

Component Part Number: 101676

Chronology

03/09/2026 – Report was made.

03/10/2026 – Investigation opened.

3/10/2026 – Warranty claims for power center – wiring repair include 1 claim, claim created start date 02/27/2026 to claim created end date 03/10/2026

03/16/2026 – Keystone Safety Committee reviewed the information and concluded that the data reviewed indicated a unanimous vote for a voluntary recall.

Investigation called for to determine affected unit range.

03/18/2026 – Investigation concluded and scope completed.

Related NHTSA Recall Number:

Part 573 Safety Recall Report

26V161

Description of Remedy

Remedy Type: Repair

Consumer Advisories: Do Not Drive Park Outside

Description of remedy program:

The remedy is to secure the electrical wiring in a manner that avoids any potential pinch points on the bed slide mechanism and repair any affected electrical wiring. Manufacturer Reimbursement Plan on file as of 10/3/2024. General reimbursement plan to be updated every two years. New vehicles are covered under warranty.

How remedy component differs from recalled component:

If the electrical wiring is damaged by a pinch point with the slide out mechanism it will need replaced with new electrical wiring – KRV – 101676 - 24” - Wire – SJ Cord – 12/3 - SJOOW

Identify how/when recall condition was corrected in production:

Units were quarantined, inspected then repaired as indicated by inspection.

Reimbursement Plan

Manufacturer used general reimbursement plan on file.

Recall Schedule

Description of recall schedule:

Keystone will notify the dealers and owners of the recreational vehicles by letter. A final copy of the owner letter will be provided to NHTSA, along with the dealer repair procedures.

Planned Dealer Notification Date: May 14, 2026 - May 14, 2026 No Dealers

Planned Interim Owner Notification Date: No Owners

Planned Remedy Owner Notification Date: May 14, 2026 - May 14, 2026 Phased Recall

Date when VIN will be searchable: May 15, 2026