



SAFETY RECALL # 26V357 – STOP SALE

Date: June 15, 2026

[REDACTED]
[REDACTED]
[REDACTED]
[REDACTED]

Subject: Safety Recall 26V357 – Wheelchair Seat Belts May Not Properly Restrain Occupants

VINs:

[REDACTED]
[REDACTED]

Dear BraunAbility Dealer Partner,

This letter is to inform you of a safety recall affecting certain 2026 Ram ProMaster vehicles converted by Braun Corporation and equipped with Q'Straint One-Combo Belts (part number TX11258-BA). NHTSA has assigned this recall Campaign Number 26V357.

The wheelchair seat belts in the affected vehicles may have incompatible connectors and may fail to properly restrain wheelchair-seated occupants. Improperly restrained occupants have an increased risk of injury in the event of a crash.

Remedy and Parts Provided

To correct this condition, the wheelchair seat belts must be replaced with the updated belt assembly included in this shipment.

For your convenience and to minimize downtime for your customers, **this shipment includes replacement belts intended to remedy this recall on the affected vehicles in your inventory or service pipeline.** These belts are to be used **only** to address this recall condition.



Please take the following actions:

1. **Identify affected vehicles (VINs included on this letter)**
2. **Inspect and repair prior to delivery or release**
 - Do not deliver, sell, or otherwise release any affected vehicle until the wheelchair seat belts have been replaced.
 - Replace the existing One-Combo Belts with the supplied replacement belts, following the installation and inspection instructions that will be provided in the official recall service bulletin.
3. **Warranty / claim processing**
 - File a Warranty Claim for this repair on BraunAbility Connect+
 - Claim Topics: **Recall > 26V357 > Repair**

Braun's customer service team can be reached at **1-800-488-0359 Option #1** if you have questions about the recall or the repair procedure.

We appreciate your prompt attention to this matter and your continued partnership in ensuring the safety of our mutual customers.

Sincerely,

BraunAbility Customer Care & Aftersales Team

Enclosure: *Quantity 4 – Part # VPM20035*

Quantity 2 – Part # 604290