



SAFETY RECALL

— Confidential and Proprietary —

Release Date: June XX, 2026

IND

Communication #: I-26-01

Expiration Date: No Expiration Date

Model Year(s): 2026

VERSION: R01 (June XX, 2026)

IMPORTANT SAFETY NOTICE!

Revision	Release Date	Update
R01	XX/XX/2026	Initial Stop Sale Release
R02	XX/XX/2026	Stop Sale converted to Safety Recall
If you are working with a printed copy, please verify you have the most current version of this document.		

SUBJECT: CHIEF VINTAGE VIN DECAL

REASON FOR THIS RECALL

Indian Motorcycle has determined that some Model Year 2026 Chief Vintage motorcycles were produced with a Vehicle Identification Number (VIN) decal displaying an incorrect rear rim width. The decal lists the rim size as 16"x5.0", but the correct specification is 16"x3.5".

Because the VIN decal contains inaccurate equipment information, the affected motorcycles do not meet regulatory labeling requirements. Although this condition does not affect vehicle performance, it must be corrected to ensure compliance. An incorrect rear rim size listed on the VIN decal may cause confusion during service or inspection and could lead to improper wheel-related service, which increases the risk of a crash and serious injury.

REMEDY

To address this concern, Indian Motorcycle has issued this safety recall with instructions for dealers to apply an updated decal over the incorrect portion of the VIN decal. This overlay decal displays the correct rim width.

In addition, customers will have the option to self-complete this recall. Indian Motorcycle will mail each registered owner a decal and installation instructions, along with a link to an online form the customer can submit once the decal has been applied to allow Indian Motorcycle to mark the recall as complete.



Are units able to be retailed?	Can customer continue to ride?	Is the permanent repair for this Recall available?	Are parts available?
YES	YES	YES	NO
Units can be retailed once the repair is completed.	Customers can continue to ride, but should have the recall completed as soon as possible.	See Repair Procedure within this document.	Parts are expected to be available in early July 2026

The information contained within this document is confidential and protected by U.S. and international copyright laws, and is the property of Polaris Inc. This document is provided for the sole use of authorized Polaris dealers and distributors. This document is not to be distributed, duplicated, or copied, digitally or otherwise, without the written consent of Polaris Inc.

DEALER - WHAT TO DO

As of June XX, 2026, **YOU MUST NOT SELL OR DELIVER** any **NEW OR USED 2026 Chief Vintage models** until it is repaired according to the **Safety Recall**.

QUICK REFERENCE TABLE

Reference the table below for details related to this Safety Recall and some of the requirements.

NOTICE	
For additional reference information not included in the document, click HERE .	

Parts Availability	Expected to be available in early July 2026
Parts Ordering	☒ Standard Parts Order
Parts Destruction or Disposal	N/A
Required Special Tools	N/A
Claim Submission Type	Service Bulletin Warranty Claim

ITEM	REQUIRED?	LINK / ADDITIONAL INFORMATION
Training Requirement	N	—
Inspection Required	N	—
Parts removed during repair to be returned to Polaris?	N	—
Are Service Parts Affected?	N	—
Photo Requirements	N	—
Part Serial Number entry (US/CA only)	N	—
Secondary Technician Audit	N	—

WARRANTY CLAIM INFORMATION


BULLETIN #	DESCRIPTION	LABOR ALLOWANCE	PART NUMBER / DESCRIPTION
I-26-01	Apply new VIN decal	0.1 hours (06 minutes)	7301599 (QTY 1) DECAL-RIM SIZE

CLAIM SUBMISSION

- US / Canada Dealers:** On DEX, go to Service and Warranty > Start a New Warranty Claim. Select Service Bulletin > Enter the VIN / PIN and Retrieve Registration. Select applicable Service Communication No. and Send Claim.

[Click here to start a Warranty Claim](#)

PARTS



QTY	PART DESCRIPTION	P/N
1	DECAL-RIM SIZE	7301599

AFFECTED MODELS

MODEL YEAR	MODELS	AFFECTED RANGE
2026	Chief Vintage Chief Vintage 125th	Reference Unit Inquiry on the dealer website or the Service Communications list on the STOP site to look up affected units.

Click [HERE](#) to view affected vehicles in your inventory and consumer vehicles that are affected.

REPAIR PROCEDURE

VEHICLE PREPARATION

1. Park motorcycle on a flat surface, fully extend side stand, and make sure vehicle is stable.
2. Turn key or ignition switch to OFF position and remove key. If equipped with keyless fob, remove fob from proximity of vehicle.
3. Locate the VIN decal on the left-hand frame tube of the motorcycle.



4. Clean the surface of the VIN decal using a mild cleaner or rubbing alcohol.


VIN DECAL APPLICATION

1.



Verify the surface is clean and dry before applying the new decal. Dirty surfaces will result in poor adhesion.

2. Peel the back from the decal and apply over the incorrect rear rim size location.



IMPORTANT

Apply firm pressure to make sure the decal adheres properly.

SUBMITTING A CLAIM

Click the link below to start a Warranty Claim. Select **I-26-01**

- US / Canada Dealers: [Click here to start a Warranty Claim](#)

SUPPLEMENTAL INFORMATION

CUSTOMER NOTIFICATION

When repair details are available, Indian Motorcycle will notify consumers by letter (and email if available) immediately and include instructions for a self-repair option in the letter.

REFERENCE INFO

ADDITIONAL REFERENCE INFORMATION

For additional reference information not included in the document, click [HERE](#).