

Date: 6/9/2026	Rev.: FR	No.: B26017
Re.: Reflective Tape Recall 26V-323	Type: Safety	
Priority: As soon as practical		
Units Affected: Forklift and C-channel Rear plates		

Background: We have determined that some Steel and Combo Flatbed Trailers with Forklift or C-channel rear plates do not meet S8.2.3 of FMVSS 108 reflective tape requirements. This bulletin will explain the steps needed to repair the unit to comply with the current FMVSS standard.

Materials:

<u>Item</u>	<u>Part Number</u>	<u>Qty</u>
Conspicuity Tape	P8010-0180-C	2

Tools:

N/A



CAUTION!


- Wear appropriate personal protective equipment (PPE) when carrying out the following procedure. Examples include gloves, safety glasses, hearing protection and hard hat.
- Should welding or cutting be needed, do so in a well-ventilated area. Wear appropriate welding head/face/eye protection, gloves and clothing.
- Refer to adhesive and chemical manufacturer's Safety Data Sheet (SDS) for safe use and handling instructions if applicable.
- Follow your company's safety procedures in addition to these recommendations.
- Follow industry standards for installation and tightening of all fasteners where torque values are not called out.

BULLETIN

Procedure:

1. Ensure rear plate is clean and free of dirt and debris in the area that reflective tape will be installed.

Note: If a Wabash or Transcraft logo is present in this location, the decal must be removed and discarded prior to installing the reflective tape.




2. Identify which rear plate configuration is on the unit and install reflective tape according to prints provided below:

Note: On certain Models: Stop / Taillights may need removed to properly install the reflective tape per prints below. Reflective tape will need to be trimmed around the edges of the holes and lights re-installed.


BULLETIN

C-TAPE LAYOUT

5070-0291-2 (102W)



5070-0291-6 (96W)




SCALE: 1:8	DATE: 2/20/2020	TOLERANCES UNLESS NOTED (INCHES): X.XX = ±.06 X.XXX = ±.030 ANG = ±.2° FX.XXX ≥.500 = ±.010 FX.XXX <.500 = ±.005	FIRST RELEASE: 67053	TITLE: ENCLOSURE LIGHT ASSY CHANNEL EAGLE CBX11.5.IWT
REVISION: SEE BOM	DATE: 2/20/2020	DESIGNED BY: MCO	DATE: 2/20/2020	DATE: 2/20/2020
WABASH				SHEET 1 OF 3 ITEM: 9000-0114


STEEL CHANNEL REAR PLATE W/ LEGS OUTWARD

C-TAPE LAYOUT

5070-0293-102-FL (102W)



5070-0293-096-FL (96W)




SCALE: 1:8	DATE: 03/27/2020	TOLERANCES UNLESS NOTED (INCHES): X.XX = ±.06 X.XXX = ±.030 ANG = ±.2° FX.XXX ≥.500 = ±.010 FX.XXX <.500 = ±.005	FIRST RELEASE: 67314	TITLE: ENCLOSURE LIGHT ASSY CHNL IN. 65T1.3ID.IWT
REVISION: SEE BOM	DATE: 03/27/2020	DESIGNED BY: TBH	DATE: 03/27/2020	DATE: 03/27/2020
WABASH				SHEET 2 OF 3 ITEM: 9000-0114

STRUCTURAL REAR PLATE -FORKLIFT OPTION
MANITOU


BULLETIN

C-TAPE LAYOUT

5070-0296-2-E2-IWT (102W)



5070-0296-6-E2-IWT (96W)




HEAVY DUTY STEEL CHANNEL REAR PLATE
W/ LEGS OUTWARD
DONKEY FL


SCALE: 1:8	CODE: 189.01	TOLERANCES UNLESS NOTED (INCHES)	FIRST RELEASE: 70693	DATE: 1/20/2021	DRIVER: MCO	TITLE: PANEL REAR STL CHANNEL DONKEY FORKLIFT, S/T/T OUTWARD.MDL 33.IWT	SHEET 3 OF 5
MAILED BY: SEE BOM		X.XXX = ±.06 X.XXX = ±.030 X.XXX = ±.02 X.XXX ≥ 500 = ±.010 X.XXX < 500 = ±.005					9000-0114
NOTE: THIS DOCUMENT AND ITS CONTENTS ARE CONFIDENTIAL AND PROPRIETARY TO WABASH AND MAY NOT BE REPRODUCED, COPIED, DISTRIBUTED, OR PROVIDED TO ANY OTHER PARTY WITHOUT EXPRESS WRITTEN CONSENT.							
WABASH							
PART TO BE FREE OF BURRS, IMPURITIES AND OTHER DEFECTS.							

C-TAPE LAYOUT

5070-0300-2-E2-IWT (102W)




5070-0300-6-E2-IWT (96W)



HEAVY DUTY STEEL CHANNEL REAR PLATE
W/ LEGS OUTWARD
DOCK BUMPERS
DONKEY FL

SCALE: 1:8	CODE: 209.06	TOLERANCES UNLESS NOTED (INCHES)	FIRST RELEASE: 74032	DATE: 9/9/2021	DRIVER: MCO	TITLE: PANEL REAR STL CHANNEL DONKEY FORKLIFT, S/T/T OUTWARD.MDL 33.IWT DOCK BUMPER.LWR LICENSE PLT.	SHEET 4 OF 5
MAILED BY: SEE BOM		X.XXX = ±.06 X.XXX = ±.030 X.XXX = ±.02 X.XXX ≥ 500 = ±.010 X.XXX < 500 = ±.005					9000-0114
NOTE: THIS DOCUMENT AND ITS CONTENTS ARE CONFIDENTIAL AND PROPRIETARY TO WABASH AND MAY NOT BE REPRODUCED, COPIED, DISTRIBUTED, OR PROVIDED TO ANY OTHER PARTY WITHOUT EXPRESS WRITTEN CONSENT.							
WABASH							
PART TO BE FREE OF BURRS, IMPURITIES AND OTHER DEFECTS.							

BULLETIN



SRT = 10min.