



BLUE BIRD

February 27, 2009

Dear Blue Bird Owner,

You will find enclosed a copy of Service Bulletin S09PA regarding the battery disconnect switch cable routing on your 2005-09 model year Blue Bird "Vision" buses.

The battery disconnect switch cables must be routed according to the enclosed service bulletin (S09PA) instructions. Copy attached.

Your buses affected by Service Bulletin S09PA are identified by Blue Bird body number on the enclosed cover sheet.

Time required for inspecting and relocating the battery disconnect switch jumper cable is 0.2 hrs (12 minutes) per bus. Time required to replace battery disconnect switch, if needed, is 0.5 hrs (30 minutes) per bus.

**You may contact your Blue Bird dealer to arrange to have Service Bulletin S09PA performed.** Or, if you prefer, you may perform this modification yourself or have a qualified repair facility convenient to you perform this modification. A qualified technician should perform this modification.

Service Bulletin S09PA expires one (1) year from date of issue.

Should you have any questions concerning this bulletin, please contact your Blue Bird dealer.

Sincerely,

Bill Coleman  
Blue Bird Corporation  
478-822-2242  
bill.coleman@blue-bird.com

**BLUE BIRD CORPORATION**

402 Blue Bird Blvd. • Fort Valley, Georgia 31030

Phone: (478) 822-2215