

REFERENCE:	Nova Bus Manuals
SECTION:	11-315 DPF with SCR exhaust system
RS N°:	MQR 7621-355
EFFECTIVE IN PROD.:	L681-86

APPLICATION DEADLINE: 2014JA05
-----------------------------------

SUBJECT:	DEF reservoir filler cap
JUSTIFICATION:	The filler cap could break during service

LEVEL	DESCRIPTION	DIRECT CHARGES		TIME
		LABOUR	MATERIAL	
1	Replace the DEF reservoir filler cap	Nova Bus	Nova Bus	5 min
2	–	–	–	–

**MATERIAL**

QTY	PART N°	REV.	DESCRIPTION	REPLACES PART N°
<b>LEVEL 1</b>				
1	N8900012	–	DEF reservoir filler cap	–
<b>LEVEL 2</b>				
–	–	–	–	–

Materials will be available within 44 days. To order, please contact Prevost Parts by phone at 1-800-771-6682, by fax at 1-888-668-2555 or by email at [prevostparts.commandes@volvo.com](mailto:prevostparts.commandes@volvo.com). Specify document number, quantity of parts required and shipping address.

**DISPOSAL OF PARTS**

REMOVED PARTS ARE:	DISCARDED *	RETAINED	* Dispose of the unused parts and the defective parts in accordance with local environmental standards in effect.
	Yes	–	

**REVISION HISTORY**

REV.	DATE	CHANGE DESCRIPTION	WRITTEN BY
NR	2012OC31	Initial release	Wilder Galiano
R1	2012N026	NYC L536 and L545 removed, no DEF reservoir	Wilder Galiano


CLIENT	ORDER	ROAD NUMBER		VIN (2NVY/4RKY...)		QTY
		FROM	TO	FROM	TO	
New York City Transit - New York	L608	8000	8014	L82U6B4000047	L82U0B4000061	15
New York City Transit - New York	L620	8015	8074	L82U2B4000062	L82U7B4000123	60
New York City Transit - New York	L621	8075	8089	L82U9B4000124	L82U9B4000138	15
New York City Transit - New York	L643	5895	5895	S92U1B4000143	S92U1B4000143	1
New York City Transit - New York	L670	5771	5894	S92U9B4000147	S92U8C4500060	124
New York City Transit - New York	L670	5770	5770	S92UXC4500061	S92UXC4500061	1
New York City Transit - New York	L681	5896	5986	S92U2C4500023	S92U6C4500154	85

**WARNING**

Follow your internal safety procedures.

**PROCEDURE**

- 1.1. Open the DEF reservoir access door. See Figure 1.



*Figure 1 - DEF Reservoir Access Door Location (Typical)*

- 1.2. Remove the DEF reservoir cap.
- 1.3. Install the new N8900012 cap strapped to the DEF reservoir filler neck.
- 1.4. Install the filler cap onto the DEF reservoir filler neck. See Figure 2.



*Figure 2 - New DEF Reservoir Cap*

- 1.5. Close the DEF reservoir access door.❖