



Beetle - 2013 FLUID CAPACITY CHART 2 nov. 2012

Vehicle (Sales Code)	Engine Oil approx. qty. w/filter change	Manual Trans	Auto Trans	Rear Final Drive	Cooling System	Power Steering	Brake System	A/C System	Windshield Fluid
New Beetle FWD Manual (5C11S1) (5C12S1) (5C13S1) (5C11Z1) (5C12Z1) (5C13Z1)	2.5 L 170hp (CBTA/CBUA) 6.0L (6.3 qt.) VW 0il Spec: VW 502 00** Use synthetic oil SAE 5W-40, SAE 5W-30	5-Spd (0A4) 1.8 L (2.0 qt.) Oil PN G 070 726 A2*	N/A	N/A	9.0 L (9.5 qt.)***	0.7 – 0.9 L (0.7 – 1.0 qt.) (approximately) <u>Fluid PN</u> G 002 000*	1.0 L (1.1qt) (approximately) VW Brake Fluid Specification: Use new fluid only. VW 501 14 or FMVSS 116 DOT 4 Fluid PN B 000 750*	Refrigerant Use only R134a Refrig. Capacity 525 ± 25 grams (18.5 + 0.8 oz) Refrigerant Oil Use a PAG oil with R134a Oil PN & Capacity	3.6 – 4.5 L (3.8 – 4.7 qt.) Fluid PN G 052 164*
New Beetle FWD Auto (5C11S3) (5C11Z3) (5C12S3) (5C12Z3) (5C13S3) (5C13Z3)		N/A	6-Spd (09G) New Fill: 7.0 L (7.4 qt.) Change: 3.0 L (3.2 qt.) Oil PN G 055 025 A2*	Capacity included with transmission				Sanden Cmpr: G 052 154 A2* 110± 10 cc (3.7±0.3 fl.oz) Denso Cmpr: G 052 300 A2* 90± 10 cc (3.0±0.3 fl.oz)	

For proper fluid level and filling information, see the Repair Manual and/or Maintenance Manual in ElsaWeb.

© 2012 Volkswagen Group of America, Inc. All rights reserved. Information contained in this document is based on the latest information available at the time of printing and is subject to the copyright and other intellectual property rights of Volkswagen Group of America, Inc., its affiliated companies and its licensors. All rights are reserved to make changes at any time without notice. No part of this document may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, nor may these materials be modified or reposted to other sites, without the prior expressed written permission of the publisher.

^{*} Oil and fluid part numbers are for reference only. Always check with your Parts Department for the latest part information.

^{**} Refer to 2012855 for engine oils that meet standard VW 502 00.

^{***} VW Coolant Additive Specification and Part Number: (color is pink) G 13 (TL-VW 774 J) G 013A8J





Beetle - 2013 FLUID CAPACITY CHART 2 nov. 2012

Vehicle (Sales Code)	Engine Oil approx. qty. w/filter change	Manual Trans	Auto Trans	Rear Final Drive	Cooling System	Power Steering	Brake System	A/C System	Windshield Fluid
New Beetle FWD Manual (5C11W2) (5C11Y2) (5C12W2) (5C12Y2) (5C13W2) (5C13Y2)	2.0T 200hp (CCTA/CBFA) 4.6 L (4.9 qt) VW Oil Spec: VW 502 00** Use synthetic oil SAE 5W-40, SAE 5W-30	6-Spd (02Q) 2.3 L (2.4 qt.) Oil PN G 052 171 A2*	N/A	N/A	8.0 L (8.5 qt.)***	0.7 – 0.9 L (0.7 – 1.0 qt) (approximately) Fluid PN G 002 000*	1.0 L (1.1qt.) (approximately) VW Brake Fluid Specification: Use new fluid only. VW 501 14 or FMVSS 116 DOT 4 Fluid PN B 000 750*	Refrigerant Use only R134a Refrig. Capacity 525 ± 25 grams (18.5 + 0.8 oz) Refrigerant Oil Use a PAG oil with R134a Oil PN & Capacity	3.6 – 4.5 L (3.8 – 4.7 qt.) Fluid PN G 052 164*
New Beetle FWD Auto (5C11W3) (5C11Y3) (5C12W3) (5C12Y3) (5C13W3) (5C13W3)		N/A	6-Spd DSG® (02E) New Fill: 6.9 - 7.2 L (7.3 - 7.6 qt.) Change: 5.2L (5.5 qt.) Oil PN G 052 182 A2*	Capacity included with transmission				Sanden Cmpr: G 052 154 A2* 110± 10 cc (3.7±0.3 fl.oz) Denso Cmpr: G 052 300 A2* 90± 10 cc (3.0±0.3 fl.oz)	

For proper fluid level and filling information, see the Repair Manual and/or Maintenance Manual in ElsaWeb.

© 2012 Volkswagen Group of America, Inc. All rights reserved. Information contained in this document is based on the latest information available at the time of printing and is subject to the copyright and other intellectual property rights of Volkswagen Group of America, Inc., its affiliated companies and its licensors. All rights are reserved to make changes at any time without notice. No part of this document may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, nor may these materials be modified or reposted to other sites, without the prior expressed written permission of the publisher.

^{*} Oil and fluid part numbers are for reference only. Always check with your Parts Department for the latest part information.

^{**} Refer to 2012855 for engine oils that meet standard VW 502 00.

^{***} VW Coolant Additive Specification and Part Number: (color is pink) G 13 (TL-VW 774 J) G 013A8J





Beetle - 2013 FLUID CAPACITY CHART Update 31 May 2013

Vehicle (Sales Code)	Engine Oil approx. qty. w/filter change	Manual Trans	Auto Trans	Rear Final Drive	Cooling System	Power Steering	Brake System	A/C System	Windshield Fluid
New Beetle FWD Manual (5C11N2) (5C12N2) (5C1RN2) PZEV (5C11M2) (5C12M2) (5C1RM2)	2.0T 210hp (CPLA/CPPA) 5.8 L (5.5 qt) WW Oil Spec: VW 502 00** Use synthetic oil SAE 5W-40, SAE 5W-30	6-Spd (02Q) 2.3 L (2.4 qt.) Oil PN G 052 171 A2*	N/A	N/A	8.0 L (8.5 qt.)***	0.7 – 0.9 L (0.7 – 1.0 qt) (approximately) Fluid PN G 002 000*	1.0 L (1.1qt.) (approximately) VW Brake Fluid Specification: Use new fluid only. VW 501 14 or FMVSS 116 DOT 4 Fluid PN B 000 750*	Refrigerant Use only R134a Refrig. Capacity 525 ± 25 grams (18.5 + 0.8 oz) Refrigerant Oil Use a PAG oil with R134a Oil PN & Capacity Sanden Cmpr:	3.6 – 4.5 L (3.8 – 4.7 qt.) Fluid PN G 052 164*
New Beetle FWD Auto (5C11N3) (5C12N3) (5C1RN3) PZEV (5C11M3) (5C12M3) (5C1RM3)		N/A	6-Spd DSG® (02E) New Fill: 6.9 - 7.2 L (7.3 - 7.6 qt.) Change: 5.2L (5.5 qt.) Oil PN G 052 182 A2*	Capacity included with transmission				G 052 154 A2* 110± 10 cc (3.7±0.3 fl.oz) Denso Cmpr: G 052 300 A2* 90± 10 cc (3.0±0.3 fl.oz)	

For proper fluid level and filling information, see the Repair Manual and/or Maintenance Manual in ElsaWeb.

© 2013 Volkswagen Group of America, Inc. All rights reserved. Information contained in this document is based on the latest information available at the time of printing and is subject to the copyright and other intellectual property rights of Volkswagen Group of America, Inc., its affiliated companies and its licensors. All rights are reserved to make changes at any time without notice. No part of this document may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, nor may these materials be modified or reposted to other sites, without the prior expressed written permission of the publisher.

^{*} Oil and fluid part numbers are for reference only. Always check with your Parts Department for the latest part information.

^{**} Refer to 2012855 for engine oils that meet standard VW 502 00.

^{***} VW Coolant Additive Specification and Part Number: (color is pink) G 13 (TL-VW 774 J) G 013A8J





Beetle - 2013 FLUID CAPACITY CHART 2 nov. 2012

Vehicle (Sales Code)	Engine Oil approx. qty. w/filter change	Manual Trans	Auto Trans	Rear Final Drive	Cooling System	Power Steering	Brake System	A/C System	Windshield Fluid
New Beetle FWD Manual (5C119L) (5C129L) (5C139L)	2.0 TDI 140hp (CJAA) 4.3 L (4.5 qt) VW 0il Spec: VW 507 00** Use synthetic oil SAE 5W-30	6-Spd (02Q) 2.3 L (2.4 qt.) Oil PN G 052 171 A2*	N/A	N/A	8.0 L (8.5 qt.)***	0.7 – 0.9 L (0.7 – 1.0 qt) (approximately) Fluid PN G 002 000*	1.0 L (1.1qt.) (approximately) VW Brake Fluid Specification: Use new fluid only. VW 501 14 or FMVSS 116 DOT 4	Refrigerant Use only R134a Refrig. Capacity 525 ± 25 grams (18.5 + 0.8 oz) Refrigerant Oil Use a PAG oil with R134a	3.6 – 4.5 L (3.8 – 4.7 qt.) Fluid PN G 052 164*
New Beetle FWD Auto (5C119M) (5C129M) (5C139M)		N/A	6-Spd DSG® (02E) New Fill: 6.9 - 7.2 L (7.3 - 7.6 qt.) Change: 5.2L (5.5 qt.) Oil PN G 052 182 A2*	Capacity included with transmission			Fluid PN B 000 750*	Oil PN & Capacity Sanden Cmpr: G 052 154 A2* 110± 10 cc (3.7±0.3 fl.oz) Denso Cmpr: G 052 300 A2* 90± 10 cc (3.0±0.3 fl.oz)	

For proper fluid level and filling information, see the Repair Manual and/or Maintenance Manual in ElsaWeb.

© 2012 Volkswagen Group of America, Inc. All rights reserved. Information contained in this document is based on the latest information available at the time of printing and is subject to the copyright and other intellectual property rights of Volkswagen Group of America, Inc., its affiliated companies and its licensors. All rights are reserved to make changes at any time without notice. No part of this document may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, nor may these materials be modified or reposted to other sites, without the prior expressed written permission of the publisher.

^{*} Oil and fluid part numbers are for reference only. Always check with your Parts Department for the latest part information.

^{**} Refer to 2012855 for engine oils that meet standard VW 502 00.

^{***} VW Coolant Additive Specification and Part Number: (color is pink) G 13 (TL-VW 774 J) G 013A8J