



Audi

2014

A6/S6/A6 TDI

Audi Technician Report

Client _____

Stock No. _____

Delivery Date _____

VIN _____

All items must be completed prior to customer delivery by an Audi technician

****Refer to the Special functions tab of ODIS Diagnosis using GFF for the PDI function tests**

****Audi recommends using an Audi approved battery charger to prevent excessive battery discharge during inspection**

Open Campaigns/Updates

- Check Elsa for open campaigns and updates. Perform campaigns not requiring SVM if applicable. Campaigns requiring SVM should only be performed after the vehicle has been taken out of transport mode.

Battery Inspection

- Check battery clamps for proper torque. Re-torque if required
- Perform the A-battery test for new batteries using GFF in ODIS Diagnosis -> Special functions -> Service work. Select option 2, the battery test for new batteries as part of the pre-delivery inspection and act according to the test result (ok, recharge, replace). Ensure diagnosis log is uploaded to the GFF paperless server by selecting "ok" when tester wants to send the current generated diagnosis protocol online. (Note: Do not use Guided Function. The diagnosis log will not be uploaded to GFF paperless)

Transport Mode Deactivation, DTC check, set service reminder

- Deactivate vehicle transport mode (via Special functions -> Service work -> 19-Transport mode activating/deactivating)
- Deactivate air suspension loading mode (via Special Functions -> Service Work -> 34-Loading mode activating/deactivating) (S6 only)
- Warning! Car body may lower!**
- Set service reminder (via Special functions -> Service work -> 17-PDI-resetting SRI at PDI, counter reset, etc.)
- For MMI3G+ vehicles, set adaptation channel (via Special functions -> Service work -> : 5F-Activating/deactivating storage of music). Also referred to as CD Ripping.
- Perform an SVM specified /actual comparison (via Special functions -> Software Version Management (SVM))
- Perform any campaign update requiring SVM at this time (follow instructions listed in campaign documentation)

Under the Hood Fluid Check and Inspection

- Check all fluid levels and top off if necessary
- Check engine oil level via the MMI - fill oil to the max level when the vehicle is at operating temperature

Trunk Inspection

- Install wheel bolt cover removal tool from PDI kit into trunk lid toolkit
- Place the lug cap removal tool, located in the bypack, into the toolkit (where applicable)
- Set spare tire pressure
- Verify operation of trunk emergency release handle

Exterior

- Test windshield washers for aim and function
- Turn on headlights and test headlamp washers
- Test exterior lighting functions
- Check tailgate opening and closing with remote (if applicable)
- Check key functionality: Including seat and steering wheel position memory (if applicable); verify vehicle starts and runs with the start/stop button; verify all doors lock/unlock with remote and advanced key, including all door handle sensors with the advanced key (if equipped)
- Start-Stop-System info (if applicable): Verify the velum sticker is on the start/stop button. Remove the Start-Stop-System information card from the car kit and place it in the glove box with the owner's manuals. Additional supply can be ordered via the Brand Store on AccessAudi

Interior

- Check operation of all switches: locks, windows, seat adjustment, seat ventilation/heating (front and rear where applicable) and child safety features
- Rear view mirror: Check self-dimming function/lighting (if equipped)
- Verify operation of all interior lights, including ambient lighting
- Mirrors: Inspect folding, adjustments, RH tilt in reverse, and memory



Audi

2014 A6/S6/A6 TDI | Audi Technician Report

Client _____

Stock No. _____

Delivery Date _____

VIN _____

Interior (continued)

- Inspect operation of lighter, aux. outlet under armrest, under rear vent outlets, and in luggage compartment on passenger side
- Verify operation of all front and rear seat belts and latches
- Check horn operation
- Check sunroof operation (open/close/vent/deflector at edge)
- Turn on the night vision camera and verify operation (if equipped)
- Rear Climate Controls: Verify heating and cooling functions and open all rear panel vents (center & b-pillar)
- Passenger side airbag: Verify operation of Passenger Occupant Detection System

Radio

- Verify operation of CD changer (if equipped)
- Verify operation of DVD player
- Verify operation of AMI
- SD card slot: Insert SD card and test function (Test all SD card slots as equipped)
- Verify HD Radio is turned "off" in Radio/Settings Menu

Audi MMI/Navigation

- Verify and set Language and Measurement Units in Setup Menu
- Set Time source setting to "GPS" and set Auto daylight savings time to "on." Change time zone appropriate to the dealer location
- Program the presets to local stations
- Navigation: Set dealership location (for following back to dealership during road test)
- Voice Activation: Press the "Talk" button and verify several commands
- Set the "Music volume while parking" to 6 lines (accessed via MMI rear view camera display, Settings > Music volume while parking) (applies to vehicles with park assist or rear view camera).

Onboard Video Tutorials

- Load Onboard Video Tutorials
- Turn ignition on
- Insert the Onboard DVD into the DVD Drive
- Select the CAR function button. System will initialize
- Select the Owner's Man. function by selecting the upper right control button

Onboard Video Tutorials (continued)

- Select "Yes"
- Select "CD/DVD"
- Select "Start update"
- Turn off ignition to start update (The update will take approx. 5 minutes)
- Once completed, remove the disk and place back into the case for the next vehicle

Audi connect (if equipped) (USA ONLY)

- Verify Audi connect Information Packet is present, including Audi brochure, T-Mobile brochure, customer SIM card, T-Mobile Terms & Conditions (T&C)(if applicable)
- Connect the **dealer demo** SIM card to the vehicle and make sure the system fully connects to 2G or 3G (2G or 3G symbol with Box surrounding it)(only applies if in a T-Mobile service area)
- Enable Google Earth in the navigation settings and verify the white Google Logo appears next to the 2G or 3G symbol
- Ensure the wireless network is turned on (TEL function button > Settings Ctrl button > Wi-Fi settings > Wi-Fi active > select "Visible")
- Check Wi-Fi hotspot functionality is enabled and verify the SSID is set to "AUDIXXXXX," where XXXXX = the last five digits of VIN that are automatically preset in the system.

On-Hoist Inspection

- Inspect wheel bolts for proper torque using torque wrench
- Check underside of vehicle for fluid leaks and loose components
- Check steering, boots, brake system, hoses, tires and wheels for damage
- Install wheel bolt covers from PDI kit on all wheels
- Set tires to maximum recommended tire pressures listed on the B-pillar door jamb and store tire pressure values in Car/System menu
- Remove Transport Blocks from shocks
- After removing transport blocks, secure Additional Springs (a.k.a. bump stops) by pressing into tube of upper shock mount



Audi

2014 A6/S6/A6 TDI | Audi Technician Report

Client _____

Stock No. _____

Delivery Date _____

VIN _____

On-Hoist Inspection (continued)

- If a known "sold" unit, set to appropriate Normal Load Condition. SEE LIST BELOW. If going to stock, set to maximum recommended tire pressures listed on the B-pillar doorjamb, and store tire pressure values in Car/System menu

A6 2.0:

- 225/55 R17 97H all season 32 front/29 rear
 245/45 R18 100H XL all season 33 front/32 rear
 255/40 R19 100H XL all season 33 front/32 rear
 255/40 R19 100Y XL high performance 32 front/32 rear
 255/35 R20 97Y XL high performance 35 front/32 rear

A6 3.0:

- 225/55 R17 97H all season 35 front/32 rear
 245/45 R18 100H XL all season 35 front/32 rear
 255/40 R19 100H XL all season 35 front/32 rear
 255/40 R19 100Y XL high performance 36 front/33 rear
 255/35 R20 97Y XL high performance 39 front/36 rear

S6 4.0:

- 255/40 R19 100Y XL high performance 39 front/35 rear
 255/35 R20 97Y XL high performance 44 front/39 rear

Road Test

- Check for squeaks, rattles and wind noise
 Verify operation of Audi parking system plus with rear view camera and top or corner view cameras (if equipped)
 Verify Vehicle Head-up Display functionality. Verify the image can be adjusted properly in the viewing area of the windshield (if equipped)
 Verify engine performance and acceleration
 Verify transmission operation, including shift paddles
 Verify engine Start-Stop System functionality (if equipped)

Road Test (continued)

- Check steering/tire alignment
 Check heated steering wheel operation (if equipped)
 Test drive vehicle applying brakes at least 4 times at 20 mph (35 km/h) to clean brake rotors. Check for abnormal noise/vibration (refer to TSB 2035669)
 Verify quality of radio reception in AM/FM/SAT bands
 Verify cruise control/ACC with Stop & Go functionality (if equipped)
 Verify Audi side assist functionality (if equipped)
 Verify Audi active lane assist (if equipped)
 Climate Control: Check heating and cooling functions and open all panel vents
 Seat heating and cooling (if equipped): Check for proper operation
 Navigation function: Activate NAV and follow directions back to dealership
 Verify NAV directions are visible in Head-Up Display (if equipped)

Post-Road Test Inspection

- Interrogate fault memory using the VAS tester and print Diagnostic Log
 Record final mileage on checklist and sign checklist
 Ensure the yellow tire pressure tag is installed on steering wheel

If Vehicle is for Showroom Display/Inventory Storage or Demo Use

- Install showroom charger to ensure battery remains charged at all times
 Apply Inventory Maintenance Sticker
 Install standard wiper blades (if not already installed)

Technician

I certify that all operations have been completed and this vehicle has been prepared in accordance with Audi Procedures and Quality Standards, and has met the standards for Perfect Delivery.

Technician Signature _____

Completion Date _____