

R8 Coupe/R8 Spyder

Audi Delivery Guidelines

Stock No.	Dealer Number	R.O. No.
VIN	Road test mileage out Road test mileage in	
Pre-Delivery		
Ensure Final Vehicle Quality Inspection	Is Completed	
☐ Inspect exterior for damage, dings,	dents and surface scratches	
Check interior for cleanliness, greas customer delivery	e marks and damage. Repair all defects prio	or to
☐ Verify vehicle is equipped as specific	ed and all accessories are installed	
☐ Check front/rear floor mats are lock	ed in	
☐ Verify all campaigns and updates ar	e closed	
Customer Priority Topics		
1		
2		
3		
How long would the client like to spen	d on topics today?	
Priority Delivery Topics	Personalize Vehicle Settings	
☐ Auto Trans Shifting and Shift Quality	phonebook entries. Ensure connection	ooth phone and assist in copying and accessing will occur automatically upon re-entry if desired. for compatible phone list. Explain Audi advanced
Cruise Control and Operation	Adjust mirrors, seats, and steering col	lumn to customer preference
☐ Trunk/Hatch/Tailgate	Assist with radio station presets	
☐ Paint Finish and Care	Show how to connect iPod/MP3. Dem	onstrate AMI, SD cards and Aux-in jack (if equipped)
Bluetooth Capability		
Pair the customer's phone with the	vehicle	
Demonstrate making a call via voice		
Demonstrate how to answer, ignore		
_	MI under Telephone > Call Options menu	
Dialing from directories/phonebook	·	
Refer to www.audiusa.com/bluetooth for compatible phone list		



2014 R8 Coupe/R8 Spyder | Audi Delivery Guidelines

Stock No.	Dealer Number	R.O. No.
VIN	Road test mileage out	Road test mileage in
Voice Controls		
Demonstrate the voice command feature (a contact, using the steering wheel voice c	(i.e., accessing "Help," dialing a phone number, ommand button, etc.)	calling
	raining to allow the Voice Recognition System t Ienu > Setup MMI > Voice Recognition > Individ	
Radio station, CD/DVD, or Jukebox		
Introduce MMI Navigation System		
Review the MMI controls and basic functio	nality (buttons: function, on/off, arrow control	l, and back)
☐ Demo Audio Sources: Show how to connec Explain the Jukebox function	t iPod via AMI, MP3/SD cards, Bluetooth audio	player.
Explain CD and DVD loading/unloading		
Navigation		
☐ Show how to enter a stopover		
Demo how to "cancel" route guidance usin and the MMI (NAV > Destination > Cancel)	g voice commands ("Cancel route guidance")	
☐ Show how to store a destination		
	g., avoid toll roads) and "Settings" (e.g., 3D mapping [with Audi connect services enabled])	ар
☐ Show how to manipulate the map (zoom, s	scroll map area)	
☐ Show how to repeat the last navigation an	nouncement using the iNav steering wheel but	ton
☐ Show how to access TMC reports via Sirius	and traffic reports via Audi connect	
Explain Tire Pressure Monitoring System and how to reset in the MMI		
Explain the settings for the Bang & Olufse	n° system (if equipped)	
Interior		
☐ Climate control functions		
☐ Multifunction steering wheel		
☐ Wiper/washer system/rain sensor		
☐ Demonstrate how to activate heated seats	(if equipped)	
☐ Demonstrate voice commands (if equipped	d)	
☐ Demonstrate glovebox/valet operation		
☐ Homelink® location and setup		
"Passenger Side Airbag Off" light: Illumina occupant is "out of position"	ates if no occupant in passenger seat or if	
☐ Trip computer/Driver info display: Explain Reset "Trip Comp 1 and 2" prior to delivery		
Explain Tire Pressure Monitoring System a	nd how to reset	
☐ Show how to set clock and adjust time zone		



2014 R8 Coupe/R8 Spyder | Audi Delivery Guidelines

Stock No.	Dealer Number	R.O. No.
/IN Road test mileage out Road test mil		Road test mileage in
Convertible Top (Spyder only)		
☐ Demonstrate how to open/close power to	p (top can only be operated up to 30 mph)	
☐ Mention power top should be only operate battery power	ed with engine running to conserve	
Demonstrate operation of wind deflector. Mention more effective with windows in t		
Demonstrate retractable rear window		
Exterior		
$\hfill \square$ Demonstrate how to unlock/lock doors/tr	runk lid	
☐ Vehicles with matte paint – show the clea and explain the proper care for matte pair	-	
Owner's Documents		
☐ License/insurance/registration/title (if ap	plicable)	
	to confirm PDI was completed). Adhere "vehic k to the inside cover of the Warranty & Mainte	
24-Hour Roadside Assistance information	– ask customer to program number in their ph	none
Owner's Manual, MMI Manual and other r	nanuals as equipped	
☐ Take the Quick Start Guide from the glove	box, open it, and demonstrate how to use it w	vith the customer
☐ Tire Warranty Booklet: Explain coverage f	rom tire manufacturer	
\square All keys (2 master, 1 emergency, 1 valet):	Walk customer through programming of keys	
Provide Audi Care Information		
$\hfill \Box$ Lemon Law Rights Booklet or Lemon Law	Notice as required by law	
\square Only use oil that meets Audi 502.00 stand	dards	
Advise the customer that Audi recommen minimum octane rating 91AKI (95 RON)	ds using Top Tier Detergent Gasoline with a	
Review the recommended maintenance so the Warranty & Maintenance Booklet star		
Orientation Drive		
$\hfill \square$ Activate and demonstrate navigation syst	em (if equipped)	
Demonstrate Audi parking system advance (if equipped)	ed (front and rear) with rear view camera	
Demonstrate cruise control		
$\hfill \square$ Demonstrate how to manually extend/ret	ract the rear spoiler	
udi magnetic ride: Explain and show where button is located, including DIS display hen activated		



2014 R8 Coupe/R8 Spyder | Audi Delivery Guidelines

Stock No.	Dealer Number	R.O. No.	
VIN	Road test mileage out	Road test mileage in	
End the orientation drive in the	service write-up area		
Service Introduction			
☐ Tour service department and i	ntroduce to Service Manager and Service Con	sultant	
Set up first service appointme	nt		
Ask customer if you can progra	am service department's phone # in their pho	one	



R8 Coupe/R8 Spyder

Audi Vehicle Condition Report

Stock No.	Dealer Number	R.O. No.
VIN	Road test mileage out	Road test mileage in
Initial PDI Vehicle Inspection		
Complete the following checks within	2 business days (48 hours) of receiving	g a vehicle.
Remove full body cover (if installed) Note: This is a two-person task	following TSB 2009967. Check for tra	ansportation damage.
☐ Verify all keys are included (2 maste	r, 1 emergency key, 1 valet)	
☐ Verify all wiper blades are enclosed	in the trunk (in case transport wipers	are installed)
☐ Inspect painted surfaces/molding/g are found, contact your supervisor t		dents/body damage]
Set tires to maximum recommender store tire pressure values in Car/Sys		doorjamb, and
Check the battery prior to starting e Record MCR340A code:	-	



2014 R8 Coupe/R8 Spyder Audi Technician Report

Stock No.	Dealer Number	R.O. No.
VIN	Road test mileage out	Road test mileage in
All items must be completed prior to cus	stomer delivery by an Audi technician	
**Refer to the Service Work area of GFF t **Audi recommends using an Audi appro		rive battery discharge during inspection
,,,	, , ,	
Open Campaigns/Updates		
☐ Check ElsaWeb for open campaigns ar	nd updates. Perform if applicable	
Battery Inspection		
☐ Check battery clamps for proper torqu	ie. Re-torque if required	
Check the battery prior to starting eng Record MCR340A code:		
Transport Mode Deactivation, DTC check	k, set service reminder	
Deactivate vehicle transport mode. Follow the process outlined in the atta V10 Plus with S-Tronic only	ached TSB 2033647/1: ECM adaptatio	on for V10 and
Set service reminder		
Deactivate the anti-theft function for Follow the process outlined in TSB 20		ol.
Under the Hood Fluid Check and Inspec	tion	
☐ Check all fluid levels and top off if nec	essary	
☐ Check engine oil level-fill oil to the ma	ax level when the vehicle is at operation	ng temperature
Front Lid Inspection		
☐ Verify front lid opens and closes smoo	thly	
☐ Install wheel bolt cover removal tool f	from PDI kit and wheel lock key into t	runk tool kit
Exterior		
☐ Test windshield washers for aim and f	unction	
☐ Turn on headlights and test headlamp	washers (if equipped)	
☐ Test exterior lighting functions		
Check key functionality: Including searuns with all keys; verify all doors man		



2014 R8 Coupe/R8 Spyder | Audi Technician Report

Stock No.	Dealer Number	R.O. No.
VIN	Road test mileage out	Road test mileage in
Interior		
☐ Check operation of all switches: Loc	ks, windows, seat adjustment, and ch	ild safety features
Calibrate rear view mirror compass (if equipped)	to proper zone and check self-dimmin	g function/lighting
☐ Verify operation of all interior lights	;	
☐ Mirrors: Inspect folding, adjustmen	ts, RH tilt in reverse, and memory (if	equipped)
☐ Verify operation of all front and rea	r seat belts and latches	
☐ Check horn operation		
Passenger side airbag: Verify operat	ion of Passenger Occupant Detection	System
Radio		
☐ Affix anti-theft code sticker found in	n prep package to this page	
☐ Verify operation of CD changer (if ed	quipped)	
☐ Verify operation of AMI or aux. inpu	t	
SD card slot: Insert SD card and test	t function	
Audi Navigation plus (if equipped)		
☐ Verify and set Language and Measur	rement Units in Setup/Settings menu	
Set clock and date to local time/dat	e using correct format	
Navigation location (if equipped): Soluting road test)	et dealership location (for following b	oack to dealership
☐ Voice Activation (if equipped): Press	the "Talk" button and verify several o	commands
On-Hoist Inspection		
☐ Check underside of vehicle for fluid	leaks and loose components	
☐ Check steering, boots, brake system	ı, hoses, tires and wheels for damage	
☐ Remove suspension blocks (if instal	led)	
☐ Inspect wheel bolts for proper torqu	ue using torque wrench	
☐ Install wheel bolt covers and center	caps as supplied	



2014 R8 Coupe/R8 Spyder | Audi Technician Report

Stock No.	Dealer Number	R.O. No.
VIN	Road test mileage in	
Road Test		
☐ Check for squeaks, rattles and wind noise		
☐ Test operation of folding power top (Spyc	ler)	
☐ Test power wind deflector (Spyder)		
☐ Verify operation of Audi parking system a	dvanced with rear view camera (if equipped)	
☐ Verify engine performance and acceleration	on. Listen for abnormal noise/vibrations	
☐ Verify operation of acoustic park assist fe	ature (if equipped)	
☐ Verify transmission operation, including s	hift paddles	
☐ Check steering/tire alignment		
Test drive vehicle applying brakes several to clean brake rotors. Check for abnormal	times (at least 4 times) at 20 mph (35 km/h) noise/vibration/pulsation	
☐ Verify quality of radio reception in AM/FM	I/SAT bands	
☐ Verify cruise control functions		
☐ Verify rear spoiler functionality		
$\hfill\Box$ Climate control: Check all functions and \ensuremath{e}	nsure proper A/C cooling	
\square Seat heating (if equipped): Inspect for pro-	oper operation	
$\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ $	e NAV and follow directions back to dealership	
Parking brake: Apply and verify hold and r	release	
Post-Road Test Inspection		
$\hfill \square$ Interrogate fault memory using the Scan	Tool and print Diagnostic Log	
$\hfill\square$ Record final mileage on checklist and sign	n checklist	
☐ Ensure the yellow tire pressure tag is inst	alled on the steering wheel	
If Vehicle is for Showroom Display/Invento	ry Storage or Demo Use	
☐ Install showroom charger to ensure batte	ery remains charged at all times	
Apply Inventory Maintenance Sticker		
Install permanent wiper blades (if for showroom display or demo use)		



R8 Coupe/R8 Spyder

Audi Vehicle Detail Report

Stock No.	Dealer Number	R.O. No.
VIN	 Road test mileage out	Road test mileage in
Warning: Do NOT use accessories	(radio, etc.) while performing detail, as t	this can discharge the battery.
_	vertible top with engine running to cons	
This will cause the top to stop fur	nctioning and will require service.	partially closed position for longer than 5 minutes. , and for part numbers to order materials.
WARNING: DO NOT treat vehicle NEVER use protective wax. It can Only use a microfiber cloth for cle		ng polishing materials or hard wax.
Exterior - Prior to Delivery		
☐ Wash/Dry vehicle exterior include	ding inside door jambs and under trunk	
☐ Inspect painted surfaces/moldi (If any defects [scratches/dings to arrange for immediate repair	/dents/body damage] are found, contact y	our supervisor
☐ Inspect body for paint defects a	nd damage	
☐ Check interior floors, sunroof, to	runk, front and rear windshield, and all wir	ndows for water leaks
☐ Apply 3M Perfect-It [™] Paste Wa. (DO NOT USE ON MATTE PAINT		
Clean front and rear windshield Refer to TSB 2020552 for detai	using 3M™ Glass Polishing Compound. ls	
Apply 3M Performance Finish w from brake dust	ax to the wheels (except chrome wheels)	to protect rims
Under Hood – Prior to Delivery		
	nt and remove excess water from grille and sor chemicals containing silicone!	l hood area.
Interior – Prior to Delivery		
☐ Clean all glass/sunroof (if equip	ped/interior rear view mirror and visor mir	rrors)
Remove all trim protection/cove WARNING! Do not remove airba	erings/stickers/decals ag warning triangle/warning labels	
☐ Check upholstery/clean as requi	red	
☐ Check for excessive grease on se	eat tracks/clean as required	
Check all interior surfaces/compor fingerprints. Clean as require	partments (including sun visors/headliner) d) for marks
☐ Vacuum carpet		
☐ Check luggage compartment an	d vacuum	
☐ Install front/rear floor mats (in	cluding locking clip/tabs if applicable)/che	eck that color matches



2014 R8 Coupe/R8 Spyder Audi Vehicle Detail Report			
Stock No.	Dealer Number	R.O. No.	
VIN	Road test mileage out	Road test mileage in	
Final Detail Quality Inspection			
	cches, swirl marks, paint chips, dents, wa vehicle is to be delivered. If this is not po ights or in bright sunlight	, ,	



2014 R8 Coupe/R8 Spyder \mid Inspection Verification

Stock No.	Dealer Number	R.O. No.
VIN	Road test mileage out	Road test mileage in
Audi Brand Specialist		
I certify that all operations have be with Audi Procedures and Quality S	een completed and this vehicle has bee tandards.	n prepared in accordance
Audi Brand Specialist Signature		Date
Porter		
I certify that all operations have be with Audi Procedures and Quality S	en completed and this vehicle has bee tandards.	n prepared in accordance
Porter Signature		Date
Technician		
I certify that all operations have be with Audi Procedures and Quality S	en completed and this vehicle has bee tandards.	n prepared in accordance
Technician Signature		Date
Detailer		
I certify that all operations have be with Audi Procedures and Quality S	een completed and this vehicle has bee tandards.	n prepared in accordance
Detailer Signature		Date
Would you like to schedule a Second	l Delivery?	
☐ Yes	Time	No
By signing, I confirm all items in thi	s checklist have been thoroughly revio	ewed with me and the statements below are true.
 Vehicle is clean and free of problem Received all keys and owner's docur Satisfied with features and controls 	nentation	
Customer Signature		Date

06-13-US 11 of 11



Technical Service Bulletin

24 ECM adaptation for 2014 R8 V10 and V10 Plus with S-Tronic only

24 13 48 2033647/2 April 22, 2013. Supersedes Technical Service Bulletin Group 24 number 13-47 dated April 17, 2013 for reasons listed below.

Model(s)	Year	VIN Range	Vehicle-Specific Equipment
R8	2014	All	V10 and V10 Plus with S-Tronic

Condition

REVISION HISTORY			
Revision	Date	Purpose	
2	-	Updated Service (added step)	
1	4/17/2013	Initial publication	

Engine control module (ECM) adaptation has not yet been performed.

Technical Background


Engine control module (ECM) adaptation is required before vehicle delivery.

Production Solution

Not applicable.

Service

Perform ECM adaption during pre-delivery inspection by completing the following steps.



- 1. Deactivate Transport Mode.
- 2. Check and clear the DTCs in the ECM master, J623 (address word 01), three times within 20 seconds. Go to On Board Diagnostics (OBD) >> (01) Engine electronics >> 004 DTC memory content >>004.01 Check DTC memory >> 004.10 Erase DTC memory.

Audi

Technical Service Bulletin

- 3. Check and clear the DTCs in the ECM slave, J624 (address word 11), three times within 20 seconds. Go to On Board Diagnostics (OBD) >> (11) Engine electronics 2 >> 004 DTC memory content >>004.01 Check DTC memory >> 004.10 Erase DTC memory.
- 4. After checking and clearing both the ECM master (01) and the ECM slave (11) three times, hit the on-screen refresh button. The button will turn green after refresh.
- 5. Cold start the vehicle with the coolant temperature between 20°C and 25°C.
- 6. Let the vehicle high idle in "P" gear without touching the accelerator pedal until the car heating/secondary air phase is over (idle returns to normal speed below 1,000 RPM).

Warranty

Claim Type:	1SP if vehicle has an in-service date 9SP if vehicle does not have an in-service date				
Service Number:	2470				
Damage Code:	0039				
Labor Operations:	ECM adaptation	2470 2599	30 TU		
Diagnostic Time:	Checking and clearing fault codes included in existing labor operations	No allowance	о ти		
	Road test prior to service procedure	No allowance	0 TU		
	Road test after service procedure	No allowance	0 TU		
	e details)				
Claim Comment:	R8 V10 Adaptation - TSB #2033647/2				

All warranty claims submitted for payment must be in accordance with the *Audi Warranty Policies and Procedures Manual*. Claims are subject to review or audit by Audi Warranty.

Additional Information

All parts and service references provided in this TSB are subject to change and/or removal. Always check with your Parts Department and service manuals for the latest information.