

# Uneven Rear Brake Pad Wear

**Service Category** Brake

**Section** Brake (rear)

**Market** USA

Toyota Supports  
 ASE Certification 

## Applicability

YEAR(S)	MODEL(S)	ADDITIONAL INFORMATION
2009 – 2013	Corolla	
2009 – 2013	Matrix	

## Introduction

Some 2009 – 2013 model year Corolla and Matrix vehicles may exhibit uneven brake pad wear on the rear disc brake pads. The vehicle may also exhibit a grinding or scraping noise due to the uneven brake pad wear. An updated rear disc brake pad kit has been developed to address this condition.

## Production Change Information

This bulletin applies to vehicles produced **BEFORE** the Production Change Effective VINs shown below.

MODEL	PLANT	DRIVETRAIN	PRODUCTION CHANGE EFFECTIVE VIN
Corolla	Takaoka	FWD	JTDBU4EE#DJ112296
	TMMC		2T1BU4EE#DC028654
	TMMMS		5YEBU4EE#DP143363
Matrix	TMMC		2T1KE4EE#DC051047
			2T1KU4EE#DC037631

## Warranty Information

OP CODE	DESCRIPTION	TIME	OPF	T1	T2
473061	R & R Pad Kit	0.6	04466-02210	87	19
Combo A	Opposite Side	0.3			

### APPLICABLE WARRANTY

- This repair is covered under the Toyota Basic Warranty. This warranty is in effect for 36 months or 36,000 miles, whichever occurs first, from the vehicle's in-service date.
- Warranty application is limited to occurrence of the specified condition described in this bulletin.

## Uneven Rear Brake Pad Wear

### Parts Information

PREVIOUS PART NUMBER	CURRENT PART NUMBER	PART NAME	QTY
04466-02210 04466-02270	04466-02260	Pad Kit, Disc Brake, Rear	1

### Required Tools & Equipment

SPECIAL SERVICE TOOLS (SST)	PART NUMBER	QTY
Variable Pin Wrench Set*	<a href="#">09960-10010</a>	1
Rear Disc Brake Tool Set*	<a href="#">09719-14020</a>	1
Companion Flange Holding Tool*	<a href="#">09330-00021</a>	1

\* Essential SST.

**NOTE**

Additional SSTs may be ordered by calling 1-800-933-8335.

### Repair Procedure

1. Remove the rear brake pads.

Refer to the Technical Information System (TIS), applicable model and model year Repair Manual:

- [2009](#) / [2010](#) / [2011](#) / [2012](#) / [2013](#) Corolla:  
*Brake – Brake (Rear) – “Brake (Rear): Rear Brake (for Disc Type): Removal”*
- [2009](#) / [2010](#) / [2011](#) / [2012](#) / [2013](#) Matrix:  
*Brake – Brake (Rear) – “Brake (Rear): Rear Brake (for Torsion Beam Type Suspension): Removal”*

2. Inspect the rotor and pads.

Refer to TIS, applicable model and model year Repair Manual:

- [2009](#) / [2010](#) / [2011](#) / [2012](#) / [2013](#) Corolla:  
*Brake – Brake (Rear) – “Brake (Rear): Rear Brake (for Disc Type): Inspection”*
- [2009](#) / [2010](#) / [2011](#) / [2012](#) / [2013](#) Matrix:  
*Brake – Brake (Rear) – “Brake (Rear): Rear Brake (for Torsion Beam Type Suspension): Inspection”*

## Uneven Rear Brake Pad Wear

---

### Repair Procedure (Continued)

3. Install the NEW brake pads.

Refer to TIS, applicable model and model year Repair Manual:

- [2009](#) / [2010](#) / [2011](#) / [2012](#) / [2013](#) Corolla:  
*Brake – Brake (Rear) – “Brake (Rear): Rear Brake (for Disc Type): Installation”*
- [2009](#) / [2010](#) / [2011](#) / [2012](#) / [2013](#) Matrix:  
*Brake – Brake (Rear) – “Brake (Rear): Rear Brake (for Torsion Beam Type Suspension): Installation”*