



Das Auto.

Service Information

Workshop Equipment

Number: VSE-13-21

**Subject: VW Minimum Required Tool Auto Shipment AT-354 US
and Canada**

Date: Oct. 31 2013

VWGoA would like to inform you of the release and automatic delivery of required Special Tools which are used on many VW vehicles to include the Beetle Cabrio, vehicles equipped with the 1.8TFSI & 2.0TFSI EA888 engines, the Gen III TDI EA288 engine, as well as many legacy engines. Please see the tool descriptions for details.

Starting November 18, 2013, every VW dealer will be shipped one AT-354 Special Tool Package. Freight F.O.B. Snap-On OEM and invoiced directly by the VW Special Tools Program (Snap-On Business Solutions - SBS).

Dealers who wish to order additional AT-354 Special Tool Packages can notify the VW Tools and Equipment Program by calling 800-892-9650. Orders will be filled in the order they are received.

Additional individual pieces of this package may be ordered from the VW Tools and Equipment program after the automatic shipment takes place.

For shipping & billing inquiries, please contact the VW Tools and Equipment program @ 800-892-9650.

<u>Franchise Type</u>	<u>Package Qty</u>	<u>Dealer Price USA</u>	<u>Dealer Price Canada*</u>
VW	7 Tools	\$1377.00	\$1468.45 CDN*
VW/Audi Dual	5 Tools	\$1264.60	\$1351.35 CDN*

Note * Canadian prices are subject to change. USD to CAD conversion will be calculated at time of invoicing at the current rate. Canadian pricing also accounts for importation costs from US to Canada.

Service Information

VW AT-353

Tool Description	Repair Group	Illustration
<p>T40012 – Pressure Hose Adapters</p> <p>Used to adapt the KLIAT1006 Cylinder Leakage Tester during pressurization of cylinders when performing in car valve related repairs.</p> <p>Used on 1.8TFSI & 2.0TFSI EA888 engines as well as many legacy engines.</p> <p>VW Exclusive & VW/Audi Dual</p>	15	
<p>VAS5161A – Valve Keeper Tool Kit</p> <p>The VAS5161A greatly simplifies the task of cylinder head disassembly and reassembly. Use of this tool ensures proper assembly of cylinder heads as per ESLA instructions and greatly reduces the potential of engine damage.</p> <p>Used to remove and install valve keepers and retainers on all current engines and many legacy engines found in VW vehicles.</p> <p>VW Exclusive & VW/Audi Dual</p>	15	
<p>VAS5161/19C – Guide Plate for FSI Engine</p> <p>Required adapter when using VAS5161A to perform cylinder head valve related repairs on 1.8TFSI and 2.0TFSI EA888 engines.</p> <p>VW Exclusive & VW/Audi Dual</p>	15	
<p>VAS6550/4 – Pressure Regulator Valve</p> <p>Used to adapt VAS6550 Fuel Pressure Gauge when testing fuel pump delivery rate on vehicles equipped with 1.8TFSI and 2.0TFSI, EA888 Engines</p> <p>VW Exclusive</p>	20 & 24	

Service Information

<p>VAS6551/6 – Pressure Regulator Valve</p> <p>Used to adapt VAS6551 Fuel Pressure Gauge when testing fuel pump delivery rate on vehicles equipped with 2.0TDI Gen 3 EA288 engines.</p> <p>VW Exclusive</p>	20 & 23	
<p>VAS6586 – Convertible Top Fixture</p> <p>Many service operations on the Beetle Cabrio top are performed with the top removed.</p> <p>This tool is used to secure convertible top during service and can be used with the VAG1383A (as shown), the VAS6131 or fastened directly to a work bench.</p> <p>VW Exclusive & VW/Audi Dual</p>	61	
<p>VAS6586/3 – Support Plates</p> <p>Used to fasten the Beetle Cabrio top to the VAS6586 Convertible Top Fixture.</p> <p>VW Exclusive & VW/Audi Dual</p>	61	