

Q7/Q7 TDI Audi Technician Report

Stock No.	Dealer Number		R.O. No.
VIN	Road test mileage out		Road test mileage in
All items must be completed prior to customer delivery by an Audi		Rear Compartment	
technician **Refer to the Special functions tab of ODIS Diagnosis using GFF for the PDI function tests		☐ Verify inflatable spare tire and compressor are present	
		☐ Verify operation of retractable luggage cover	
**Audi recommends using an Audi approved battery charger to prevent excessive battery discharge during inspection		Exterior	
		☐ Test windshield washers for aim and function	
Open Campaigns/Updates		☐ Turn on headlights and test headlamp washers	
Check Elsa for open campaigns and updates. Perform campaigns not requiring SVM if applicable. Campaigns requiring SVM should only be performed after the vehicle.		☐ Test exterior lighting functions, including that rear lighting transfers between tailgate and bumper when tailgate is operated	
been taken out of transport mode. Battery Inspection		verify vehicle starts unlock with remote	ality, including seat memory (if applicable); and runs with all keys; verify all doors lock/ and advanced key, including all door handle
Check battery clamps for proper torque. Re-1	torque if required	sensors with the advanced key (if equipped) Install the cap for the hitch cover (the cap is located in the	
Perform the A-battery test for new batteries u		cargo area)	
Diagnosis -> Special functions -> Service work. Select option 2, the battery test for new batteries as part of the pre-delivery inspection and act according to the test result (ok, recharge, replace). Ensure diagnosis log is uploaded to the GFF paperless server by selecting "ok" when tester wants to send the current generated diagnosis protocol online. (Note: Do not use Guided Function. The diagnosis log will not be uploaded to GFF paperless) Transport Mode Deactivation, DTC check, set service reminder Deactivate vehicle transport mode (via Special functions -> Service work -> 19-Transport mode activating/deactivating)		Adjust the trunk lid opening height to 75 inches (190 cm) from the ground to the close button in the rear lid. Press and hold the close button in the rear lid for at least four seconds to program the opening height	
		Interior	
		☐ Check operation of all switches: Locks, windows, seat adjustment, and child safety features	
		Calibrate rear view mirror compass to proper zone and check self-dimming function/lighting	
☐ Set service reminder (via Special functions → Service work → 17-PDI-resetting SRI at PDI, counter reset, etc.) ☐ For MMI3G+ vehicles, set adaptation channel (via Special functions → Service work → : 5F-Activating/deactivating storage of music)		☐ Verify operation of all interior lights	
		☐ Mirrors: Inspect folding, adjustments, RH tilt in reverse, and memory (if equipped)	
		☐ Inspect operation of center console, a	of power outlet(s) in center console, in rear and in cargo area
Perform an SVM specified /actual compariso	(SVM))	Check horn operation	on
functions ->Software Version Management		☐ Verify the glove con	npartment opens and closes properly
Perform any campaign update requiring SVM at this time (follow instructions listed in campaign documentation)			nroof operation (open/close/vent/deflector ade operation (front and rear). Synchronize
Under the Hood Inspection Check all fluid levels and top off if necessary		Passenger side airbag: Verify operation of Passenger Occupant Detection System	
factory		Radio	
Check engine oil level via the MMI – fill oil to the max level when the vehicle is at operating temperature		☐ Verify operation of	
		☐ Verify operation of	AMI

Audi Truth in Engineering

2014 Q7/Q7 TDI | Audi Technician Report

Stock No.	Dealer Number	R.O. No.	
VIN	Road test mileage out	Road test mileage in	
Radio (continued)		On-Hoist Inspection (continued)	
 SD card slot: Insert SD card and test function (Test all SD card slots as equipped) □ Verify HD Radio is turned "off" in Radio/Settings Menu (USA ONLY) 		Remove suspension blocks (if installed)	
		☐ Inspect wheel bolts for proper torque using torque wrench	
		☐ Install wheel bolt covers and center caps as supplied	
Audi MMI/Navigation		Road Test	
 □ Verify and set Language and Measurement Units in Setup Menu □ Set Time source setting to "GPS" and set Auto daylight savings time to "on." Change time zone appropriate to the dealer location 		Check for squeaks, rattles and wind noise	
		□ Verify operation of Audi parking system or Audi parking system plus with rear view camera and top or corner view cameras (if equipped)	
☐ Navigation (if equipped): Set dealership lo	cation (for following	☐ Verify engine performance and acceleration	
back to dealership during road test)		☐ Verify transmission operation	
Set the "Music volume while parking" to 6 l		☐ Check adaptive air suspension in all positions (if equipped)	
MMI rear view camera display: Settings > M		Check steering/tire alignment	
parking)(applies to vehicles with park assist or rear view camera) Voice Activation (if equipped): Press the "Talk" button and verify several commands		☐ Test drive vehicle applying brakes at least 4 times at 20 mph (35 km/h) to clean brake rotors. Check for abnormal noise/vibration	
		Parking brake: Apply and verify hold and release	
Rear Seat Entertainment (RSE) (if equipped)		☐ Verify quality of radio reception in AM/FM/SAT bands	
Rear Seat Entertainment: Verify operation.		☐ Verify cruise control/ACC (if equipped) functions	
headphones are present and the DVD units	operate	☐ Verify Audi side assist functionality (if equipped)	
Audi connect (if equipped) (USA ONLY) Verify Audi connect Information Packet is present including Audi brochure, T-Mobile brochure, customer SIM card, T-Mobile Terms & Conditions (T&C) (if applicable) Connect the dealer demo SIM card to the vehicle and make sure the system fully connects to 2G or 3G (2G or 3G symbol)		☐ Climate control: Check all functions and ensure proper heating and A/C cooling	
		Seat heating/ventilation: Inspect for proper operation (if equipped)	
		Navigation function (if equipped): Activate NAV and follow directions back to dealership	
with Box surrounding it)(only applies if in a			
area)		Post-Road Test Inspection	
Enable Google Earth in the navigation setti white Google Logo appears next to the 2G	or 3G symbol	☐ Interrogate fault memory using the Scan Tool and print Diagnostic Log	
Ensure the wireless network is turned on (TE		Record final mileage on checklist and sign checklist	
Settings Ctrl button > Wi-Fi settings > Wi-Fi "Visible")		☐ Ensure the yellow tire pressure tag is installed on steering wheel	
Check Wi-Fi hotspot functionality is enable SSID is set to "AUDIXXXXX," where XXXXX of VIN that are automatically preset in the	the last five digits	If Vehicle is for Showroom Display/Inventory Storage or Demo Use	
On-Hoist Inspection Check underside of vehicle for fluid leaks and loose		Install showroom charger to ensure battery remains charged at	
		all times Apply Inventory Maintenance Sticker	
components	baala 4 t'	☐ Install standard wiper blades (if not already installed)	
Check steering, boots, brake system, hoses for damage	o, wheels and tires		



2014 Q7/Q7 TDI \mid Audi Technician Report

Stock No.		R.O. No.
VIN	Road test mileage out	Road test mileage in
Technician		
	have been completed and this vehicle has been met the standards for Perfect Delivery.	prepared in accordance with Audi Procedures and
Technician Signature		Completion Date