



**HYUNDAI** | NEW THINKING.  
NEW POSSIBILITIES.  
**Technical Service Bulletin**

GROUP	NUMBER
BODY	13-BD-001
DATE	MODEL(S)
JULY 2013	ELANTRA COUPE (JK)


SUBJECT: FRONT SEATBACK RECLINER RESET

**Description:** This bulletin describes the procedure to reset the front seatback recliner. In some Elantra Coupes, the seatback recliner may not lock the seatback into the upright position after pulling the recline lever, leaving the seatback free to move.

This symptom may occur when pulling the recline lever (B) to return the seatback to its upright position after folding the seatback using the walk-in seat lever (A).

**\* NOTE**

Do not replace the front seat, instead, follow the service procedure below.



- A: Walk-In Seat Lever
- B: Seat Recline Lever
- C: Seat Slide Lever

**Applicable Vehicles:** All 2013MY Elantra Coupe (JK) 1.8L

Circulate To: General Manager, Service Manager, Parts Manager, Warranty Manager, Service Advisors, Technicians, Body Shop Manager, Fleet Repair

## Reset Procedure:


1. Fully slide the front seat forward by using the slide lever (C).

**\* NOTE**


The seat must be in its maximum forward position. Otherwise there will not be enough clearance for the seat to fully recline.



2. Using your hand only, fully recline the seatback until the seatback recliner is locked.





3. Hold the recline lever (B) and adjust seatback to the desired position.




**Useful Seatback Operation Information for Customers:**

1. Pull up on the walk-in seat lever (A) and allow the seat to fold forward.



2. Using your hand only, push the seatback towards the rear of the vehicle and seat will lock into the upright position.



3. Recline lever (B) can now be used to adjust seatback according to driver preference.

