T-SB-0050-13



ECU Software Update: Charging System Improvement

March 25, 2013

Service Category	Engine/Hybrid System			Philip and
Section	Hybrid/Battery Control System	Market	USA	Toyota Supports

Applicability

YEAR(S)	MODEL(S)	ADDITIONAL INFORMATION	
2012 – 2013	RAV4 EV		

REVISION NOTICE

November 21, 2013 Rev1:

- · Applicability has been updated to include 2013 model year RAV4 EV vehicles.
- · Reprogramming of the Power Management Control ECU has been added to the bulletin.
- Warranty Information, Calibration Information, Parts Information, and Repair Procedure sections have been updated.

July 29, 2013 Rev1:

· The Warranty Information and Calibration Information sections have been updated.

Any previous printed versions of this bulletin should be discarded.

Introduction

The RAV4 EV Power Management Control ECU and EV Gateway Control ECU logic have been updated to improve vehicle operation and charging timer operation. Use the following procedure to reprogram the RAV4 EV Power Management Control ECU and EV Gateway Control ECU.

Warranty Information

OP CODE	DESCRIPTION	TIME	OFP	T1	T2
EG1315	Reprogram Power Management Control ECU and EV Gateway Control ECU	0.8	89881-0R011	99	99

APPLICABLE WARRANTY

- This repair is covered under the Toyota Powertrain Warranty. This warranty is in effect for 60
 months or 60,000 miles, whichever occurs first, from the vehicle's in-service date.
- Warranty application is limited to occurrence of the specified condition described in this bulletin.

Parts Information

PART N	IUMBER	PART NAME						
PREVIOUS	NEW	PART NAME	QIY					
89690-42011 89690-42012 89690-42013 89690-42013	89690-42015	Computer, Power Management Control	-					
89881	-0R011	Computer, EV Gateway Control	-					
00451-00	0001-LBL	Authorized Modification Labels	1					

NOTE

• The ECU should NOT be replaced as part of the repair procedure.

• Authorized Modification Labels may be ordered in packages of 25 from the Materials Distribution Center (MDC) through *Dealer Daily – Dealer Support Materials Orders*.

Calibration Information

MODEL	501		CALIBRATION ID					
MODEL	ECU		PREVIOUS	NEW				
	Power Management	Main	896B34201300 896B34201400	896B34201500				
RAV4 EV	Control	Sub	896B54201100 896B54201200	896B54201300				
	EV Gateway Co	ontrol	1.3.57 1.3.62	1.3.79				



Required Tools & Equipment

REQUIRED EQUIPMENT	SUPPLIER	PART NUMBER	QTY
Techstream 2.0*		TS2UNIT	
TIS Techstream	ADE	TSPKG1	1
Techstream Lite		TSLITEDLR01	

SPECIAL SERVICE TOOLS (SST)	PART NUMBER	QTY
GR8 Battery Diagnostic Station*	00002-MCGR8	1
EV HV Powertrain Diagnostic Cable Kit**	82824-36150-01	1

NOTE

- Only ONE of the Techstream units listed above is required.
- Software version 8.30.023 or later is required.
- Additional Techstream units may be ordered by calling Approved Dealer Equipment (ADE) at 1-800-368-6787.
- Additional SSTs may be ordered by calling 1-800-933-8335.
- The Diagnostic Tester is NOT recommended for flash reprogramming. Please use Techstream or an approved J2534 interface to perform flash reprogramming updates. Visit <u>techinfo.toyota.com</u> for more information regarding J2534 reprogramming.



* Essential SST.

** Special order.

Repair Procedure

 Check for the Authorized Modifications Label affixed to the vehicle in the location shown in Figure 1. Confirm if the ECU calibrations have been updated. If the calibration IDs listed are NOT the latest ECU calibrations — go to step 2.

Figure 1. Location of Authorized Modifications Label on 2012 - 2013 RAV4 EV



1	Replacement Power Management Control ECU Part Number (i.e., 89690-42015)
2	Replacement EV Gateway Control ECU Part Number (i.e., 89881-0R011)
3	New Calibration ID of Power Management Control ECU (i.e., 896B34201500)
4	New Calibration ID of EV Gateway Control ECU (i.e., 1.3.79)

5	Dealer Code	
6	Date Completed	
7	This SB Number	



Repair Procedure (Continued)

2. Flash reprogram the Power Management Control ECU.

NOTICE

The Power Management Control ECU <u>must</u> be updated first, then the EV Gateway Control ECU (see Figure 2).

NOTE

- The GR8 Battery Diagnostic Station MUST be used in Power Supply Mode to maintain battery voltage at 13.5 volts while flash reprogramming the vehicle.
- For details on how to use the GR8 Battery Diagnostic Station, refer to the GR8 Instruction Manual located on the Technical Information System (TIS), Diagnostics – Tools & Equipment – Battery Diagnostics.

Follow the procedures outlined in Service Bulletin No. <u>T-SB-0012-13</u>, *"Techstream ECU Flash Reprogramming Procedure,"* and flash the ECM (PCM) with the NEW calibration file update.

Figure 2.

2012 Rav4 EV	Tire Pressure / Threshold Value [psi(g	auge)]	C								
001533 mile 2012_Rav4 EV_E File Notes	Sensor 1: 35.9 / N/A Sensor 2: Sensor 3: 35.2 / N/A Sensor 4: Sensor 5: N/A / N/A Health Check Results	36.6 / 36.6 /	NN	WA							
Health Check	System	Monitor	Π	DTC	Curr	Pend	Hist	Perm	SB	Calibration	Update
Data 2-1/3	EV	·						-		896B34201300	Yes
Data 3-1/3	Cruise Control	1		-	-		_	-	-	090054201100	Tes
messages	Electric Propulsion Control System				-			-		13.62	Yes
	Tire Pressure Monitor	1 .					-	-	-	1.0.02	IVA
	ABS/VSC/TRAC	-								F152642131	No
	EMPS	-									No
	Occupant Detection						-				
	SRS Airbag				-						
	Air Conditioner								-		
					-	-				838000R15002	No
					-					838000R15001	No
					-		-			838000R15001	No
			\vdash		-		-	-		838000R15001	NO
				_	-			-		838000R15001	No
		1			-			-	-	838000R15001	No
Sort 1								-		838000R15001	No
										838000R15001	No
Expand>>										838000R15001	No
		1 1								838000R15001	No
TIS Search	Combination Mater									838000R15001	No
Print											
Back	Campaign Status:NONE						1	'n	D	🕑 💰	
and the second second							-				-

Repair Procedure (Continued)

3. Flash reprogram the EV Gateway Control ECU.

NOTE

- The GR8 Battery Diagnostic Station MUST be used in Power Supply Mode to maintain battery voltage at 13.5 volts while flash reprogramming the vehicle.
- For details on how to use the GR8 Battery Diagnostic Station, refer to the GR8 Instruction Manual located on the Technical Information System (TIS), Diagnostics – Tools & Equipment – Battery Diagnostics.

Follow the procedures outlined in Service Bulletin No. <u>T-SB-0043-13</u>, "RAV4 EV ECU Flash Reprogramming Procedure," and flash reprogram the ECU with the NEW calibration file update.

- 4. Install the Authorized Modifications Label.
 - A. Using a permanent marker, enter the following information on the label:
 - ECU part number(s) [Refer to the Parts Information section for the NEW PART NUMBER]
 - Calibration ID(s) [Refer to the Calibration Information section for the NEW CALIBRATION ID]
 - Dealer Code
 - Repair Date
 - Change Authority [This SB number]
 - B. Affix the Authorized Modifications Label to the vehicle at the location shown in Figure 1. The Authorized Modifications Label is available through the MDC, P/N 00451-00001-LBL.
- 5. Test drive the vehicle to confirm proper vehicle operation.