L-SB-0003-13



Lexus Supports

# Premium HDD Navigation Map Update Process (EMV-N)

Service Category Audio/Visual/Telematics

Section Navigation/Multi Info Display Market USA ASE Certification

#### Applicability

YEAR(S)	MODEL(S)	ADDITIONAL INFORMATION	
2013	ES300H, ES350,		
	GS350, GS450H,		
	LS460, LS600H,		
	LX570, RX350,		
	RX450H		

#### Introduction

Lexus models equipped with the Premium HDD Navigation (EMV-N) System require a Special Service Tool (SST) USB drive to update the map, points of interest, Gracenote<sup>®</sup>, and system software. The SST is used with all vehicles to deliver the update, however a unique Activation Number is required for each vehicle. Activation Numbers are provided in an Activation Card Number (ACN) pamphlet available through the normal parts ordering system. Use the process described in this bulletin to perform the update.

### NOTE

- Gracenote<sup>®</sup> information must be updated at the same time as Map Data. This data is included on the Map Data SST.
- Map data will be released annually through the shipment of a USB Drive SST to each dealer. The SST must be stored in the SST cabinet to ensure it can be easily found.

#### **Parts Information**

CURRENT PART NUMBER	PART NAME	QTY
PT219-HDD07-00	ACN Nav Update 11 CY (pamphlet)	1

NOTE

Pamphlet is green, with Lexus and Denso labels on the front cover.



-

# Premium HDD Navigation Map Update Process (EMV-N)

#### Warranty Information

OP CODE	DESCRIPTION	TIME	OFP	T1	T2
N/A	Not Applicable to Warranty	-	=	-	-

### **Required Tools & Equipment**

SPECIAL SERVICE TOOLS (SST)	PART NUMBER	QTY
USB Drive – Navigation Update*	LEXD-HDD07-12	1

\* Essential SST.

NOTE

Additional SSTs may be ordered by calling 1-800-933-8335.

#### **On-vehicle Data Navigation Update**

1. Update Gracenote<sup>®</sup> information using L-SB-0002-13.

#### HINT

Connect a battery charger to the vehicle prior to beginning the process to ensure constant battery voltage.

- 2. Log into TIS.
- 3. Log into Navigation Update Wizard.
  - A. Click on the TIS tab.
  - B. Click on the Diagnostics tab.
  - C. Click on the Navigation tab.
  - D. Re-enter your password.
- 4. Select **Denso** from the Select Navigation Manufacturer dropdown.

tion Dopart
Toute & You person a
a bey allow for one navyahor o

Figure 2.

and the second sec	tion they have	and the second se	Analystics.	Tabblaumen.
Revigation Update Wirard				
	Plante complete the	Intering Percent restore a	Staret hay	
	Dealer Cone: 6/60			
	Desis/ Same 2413			
	Techniar Name and			
	Tent sevener den			
	Carlo Altore	50 (*)		
	Without Sand Sundari			
(*) - Induces Repaired Res[[a]				
	192	Erec Lares		

### **On-vehicle Data Navigation Update (Continued)**

5. Enter the Activation Card number from the inside of the pamphlet (obtained from parts department).

- Brequestion	(i) fare falle search (i) Neither Streams	۱	
ternini e	Character of providing sectors	Harginton	AND DESCRIPTION OF AN
Navigation Update Wizard			
	Please complete the following. Saide to receive a	Torres Rev.	
	Dearer Carles 10003		
	Design Aurora 24 LEALE		
	Tauton plan functor June Suth		
	Sand he-galder Dense (*)		
	Taplandon Carl Sumtan (1975). (1987)		
(*) - Industries Required Facilities			

- 6. Click Submit.
- 7. Turn Ignition ON (Ready OFF).
- 8. Please note the head unit style to determine how to get to the Map Data screen.
  - A. Press the "INFO APPS" button on the navigation head unit.

Figure 4.		
- CLOSE - RADIO - MEDIA DEST - 557 - 557		
	28.	


B. Press "Menu" on the Remote Touch pad. Then Figure 5. select "INFO/APPS.



### **On-vehicle Data Navigation Update (Continued)**

9. Press the "Map Data" button on the navigation screen.

Figure 6.



10. Record the Map Version and Map Update ID from Figure 7. the navigation screen.

Map Information		C+ ]
Map Version: 2	1-11-12	[2011-03-1]
Map Update ID: 1	102-4824-0	800-1579
	IS	
Last map updat	e was can	celed.
Update Map	New Works of P	no Coverane
1000 (1000) (100		

- 11. Enter navigation data into the Navigation Update Wizard form.
  - A. Select the correct USB part number (found on the SST packaging; Starts with "LEXD").
  - B. Input the Map Update ID into TIS
  - C. Input the Map Version into TIS
  - D. Enter the VIN
  - E. Enter the Repair Order Number
  - F. Click on the Submit button

Figure 8.

Same of	Internet States	Address of the local division of the local d	hasperint	And the Addition of the Addition of the
Revigition Update Wand				
	Pesse amplete?	Te failmong fields to reserve a	Tourse have	
	Dealer Gode: #			
	Dealer Name: Ja			
	Technican barrel Ja	or Selfs		
	Novgetor Handlemourn De			
	Activation Carol Number: 18			
	"USB Stick Print" LS	DID HODOT 12 -		
	Plag Mpidele 101	1244220001202		
	THE VERSION ST		100	
		- ] [71181 ] BORISINI		
	"Kapair Drifer Mambert			
(*) - Indicarts Salawind Palatsi				
		Test Carl Stand		

### **On-vehicle Data Navigation Update (Continued)**

12. Check off each item after confirming that it is correct. If any of the information is incorrect, click the "Back" button.

17 House / 115	Concerning and the second second	an advantage of the second	States and	
· Dagentes	- B. A. and income . County	Ste Accurry of		
stantican i Gilde	and the second states	left   left elsi	Assignment	and and a support of the second second
levigation Update Wicard				
are any annual in update the Marigeli				
7		following by challening well new t	1500	
Fire have LSD Shot Pro LDD+				
Row Serve and and Had Labores \$2	1+62+620000002222			
Ton here answed that Verson 2	11-11-24 2011-04-1			
E an a michilaussissis				
		Eed Series		

- 13. Click the Confirm button.
- 14. Note the License Key that was generated. (Print this page if necessary).

Constanting of Desperates	Challen there are a million to an	CORES.	
and the second second	Densis of Ford	Recuritor	There is a sub-service.
Nevigation Update Witard			
Thank you Jate Smith. This Acaros key	n raid for one updata. Please pring this pape	for your references.	
		7	
	Your License Key is: 202000		
	tote the Restance Rev with USE Scoul And LDC	Preceda (2	
	Hap Lpdate 13: 1104020	ukt/2227	
	New May Version: 21-11-24	8012-91-1	
havizatión Ludats vehicle Decala	The section		
	Basair Order Bander: 123155	BUSING 21	
	Genleri soaos		

- 15. Insert the "USB Drive Navigation Update" stick into the USB port of the vehicle (usually located under the navigation head unit, in the center console/armrest, or glove box).
- 16. Click the "Update Map" button on navigation screen.

Figure 11.

Map Information		5
Map Version	: 21-11-24 [2011-06-	1
Map Update ID	: 1102-4824-0800-1579	
	US	
Last map upd	ate was completed.	
Section 1 descent stands and		appendi
Conversion Provide Street and		

### **On-vehicle Data Navigation Update (Continued)**

17. Click the "Yes" button on the navigation screen.

Figure 12.

18. Enter the License Key from step 13.

Figure 13.

Enter License			0
.181	3 - 37	765	MACCOM
1	2	3	
4	5	6	
7	8	9	
	0		Оĸ

19. Click on the "OK" button on the navigation screen.

(LEXUS

### **On-vehicle Data Navigation Update (Continued)**

20. Update Navigation Head Unit Software. Click "Yes" on the "Software Update" screen to accept and begin this update.

If the head unit displays the "Map Update" screen, go to step 21.

### NOTE

Navigation Map Data will be loaded when this process completes.

Figure 14.




Figure 15.

e Updat			- 44
Cop	ying new sol	tware	
ase do noi	t eject or ren	nove the up	date media.
ese do noi	tum the ve	ticle off.	S. Sandar
	ase do noi	ase do not eject or ren	e Update Copying new software use do not eject or remove the up use do not turn the vehicle off.


A. Cycle ignition OFF, then ON (Ready OFF).

#### Figure 16.



### **On-vehicle Data Navigation Update (Continued)**


B. Allow update to complete (approximately 10 minutes).



- C. The head unit will prompt to cycle ignition. Cycle ignition "OFF" and then ON (Ready OFF).
- D. Press the "INFO APPS" button.

Figure 18.

Figure 19.



- E. Press the "Map Data" button.
- 21. The Navigation Map Update will begin automatically.

#### NOTE


This process will take about 45 minutes.

Map Update	* 5
Updating map data	
You may continue to use to during the update.	he navigation system
The update can be cancele	d by ejecting
the DVD or removing the	Job Tiesh Grive.
Estimated time	remaining
	Total: 44 min

© 2013 Lexus, a division of Toyota Motor Sales, USA

### **On-vehicle Data Navigation Update (Continued)**

 The new map data will be available after you cycle the ignition. Turn the ignition OFF, then ON (Ready OFF). Figure 20.



23. Map Update is complete.

Figure 21.

- GOSE AADRO		
MEDIA DEST 852	Map update & complete.	12 L 12
	<b>BA</b>	

24. Verify navigation operation.